

Studform Product List




Ceilings


Architectural ceiling systems	T-Bar Systems Mitred Top Hat Integrated Grid Lighting Accessories	2
-------------------------------	--	---



Premium ceiling tiles	Plasterboard Tiles Acoustic Tiles Timber Ceiling Tiles	10
-----------------------	--	----



Access panels	Fire Rated	12
---------------	------------	----



Walls

Aluminium partition suite	Korporate Series Perforated Head Track Skirting & Accessories	14
---------------------------	---	----



Drywall framing systems	Steel Studwork Fire Rated Systems Battens Concealed Suspension	20
-------------------------	---	----



Plasterboard & accessories	Plasterboard Compounds Insulation Metal Angles	25
----------------------------	---	----



Doors / Frames

Premium residential doors	Square Groove Doors Veneer Entry Doors	28
---------------------------	---	----



Commercial doors / frames	Flush Panel Doors Fire Door Sets Metal Clad Doors X-Ray Doors Metal Frames	32
---------------------------	--	----



High performance acoustic doors	Acoulite Doors RW Acoustic Doors	38
---------------------------------	-------------------------------------	----





Architectural ceiling systems

T-Bar Systems

Seismic Ceiling System

Mitred Top Hat

Integrated Grid Lighting

Accessories



KL3600



KL1200




KL600



AST3600




KLBH4000




A90S




A95




A93S



VF1




KL100



VF2



CL315



2424-4

Kwikloc Regal Ceiling Grid

PART NO.	DESCRIPTION	LENGTH MM	PIECES / PACK
GRID COMPONENTS			
KL3600	Kwikloc Main Tee	3600	20
KL1200	Kwikloc 1200 Cross Tee	1200	60
KL600	Kwikloc 600 Cross Tee	600	60
WALL ANGLE & BULKHEAD			
AST3600	Kwikloc Standard Wall Angle	3600	10
ASL3600	Kwikloc Shadowline Wall Angle	3600	10
KLBH4000	Kwikloc 4000 13mm Bulkhead	4000	10
ACCESSORIES			
2424	Spring Suspension Hanger 5mm		500
2424-4	Spring Suspension Hanger 4mm		100
A90S	Right Angle Bracket		100
A93S	Shadowline Angle Bracket		100
A95	2 Hole Angle Clip		100
CL315	Blub Clip Spring Suspension Hanger		500
KL100	Kwikloc Bracket		100
MULTIDX	Hold Down Clip		100
SR2.5	2.5mm Galv Suspension Rod	3600	100
SR4.0	4.0mm Galv Suspension Rod	3600	50
SR5.0	5.0mm Galv Suspension Rod	3600	50
VF1	Purlin Clip – Steel		100
VF2	Purlin Clip – Timber / Steel		100




KL3600S




KL1200S




KL600S



ASTS3600




ASTSA/B3600



ASTS3600XL




2424-4




A90S




A93S



ASLS3600XL



KLSEI85



KLPLSEI3600

Kwikloc Seismic Ceiling Grid

PART NO.	DESCRIPTION	LENGTH MM	PIECES / PACK
GRID COMPONENTS			
KL3600S	Kwikloc Seismic Main Tee	3600	20
KL1200S	Kwikloc Seismic 1200 Cross Tee	1200	60
KL600S	Kwikloc Seismic 600 Cross Tee	600	60
WALL ANGLE & BULKHEAD			
ASTS3600	Kwikloc Seismic Fixed Side Wall Angle	3600	10
ASTSA/B3600	Kwikloc Seismic 2 Part A/B Floating Wall Angle	3600	8
ASLS3600	Kwikloc Seismic Fixed Shadowline Wall Angle	3600	10
ASLSA/B3600	Kwikloc Seismic 2-part Floating Shadowline Wall Angle	3600	8
ASTS3600XL	Kwikloc 32mm Seismic Extra Ribbed Wall Angle	3600	10
ASLS3600XL	Kwikloc Seismic Extra Ribbed Shadowline wall angle	3600	10
KLPLSEI3600	Kwikloc Plaster to Grid Trim	3600	12
ACCESSORIES			
2424-4	Spring Suspension Hanger 4mm		100
A90S	Seismic Fixed Side Right Angle Bracket		100
A93S	Seismic Fixed Side Shadowline Angle Bracket		100
KLSEI150	Kwikloc Seismic 2 Part Floating Wall Angle Bracket		
KLSEI175	Kwikloc Seismic Cross Tee Clip		
KLSEI85	Kwikloc Seismic XL/Plaster to Grid Bracket		
KLSEI85SL	Kwikloc Seismic XL/Plaster to Grid Bracket Slotted		
KLGRD-10K	Kwikloc Gridlok Seismic Brace Connector		
HUX6	Hillti Masonry Seismic Screw Bolt 6x55		100
RIVET	5/32 Aluminium Rivet (500)		500
SR2.5	2.5mm Galv Suspension Rod	3600	100
SR4.0	4.0mm Galv Suspension Rod	3600	100
TSO55	Iconns Masonry Seismic Suspension Toggle		100

Kwikloc Aquatic Ceiling Grid

PART NO.	DESCRIPTION	LENGTH MM	PIECES / PACK
GRID COMPONENTS			
KL3600AQ	Kwikloc Aquatic Main Tee	3600	20
KL1200AQ	Kwikloc Aquatic 1200 Cross Tee	1200	60
KL600AQ	Kwikloc Aquatic 600 Cross Tee	600	60
WALL ANGLE & BULKHEAD			
AST3600AQ	Kwikloc Aquatic Standard Wall Angle	3600	10
ASL3600AQ	Kwikloc Aquatic Shadowline Wall Angle	3600	10
ASTS3600XLAQ	Kwikloc Aquatic Seismic Wall Angle	3600	10
ACCESSORIES			
KL100-AL	Kwikloc Aquatic Wall Angle Bracket		100
KLSEI85-AL	Kwikloc Aquatic Seismic Wall Angle Bracket		100
KLSEI85-SL-AL	Kwikloc Aquatic Seismic Wall Angle Slotted Bracket		100
A90A	Right Angle Bracket Aluminium		100
A90SA			
A93SLA			
A935A			
SRA4.0	4mm Aluminium Wire	3600	50
VFA3	Aluminium Purlin Clip Assembly		100




KL3600AQ



KL1200AQ



KL600AQ



VFA3

Kwikloc Black Ceiling Grid

PART NO.	DESCRIPTION	LENGTH MM	PIECES / PACK
GRID COMPONENTS			
KL3600BL	Kwikloc Black Main Tee	3600	20
KL1200BL	Kwikloc Black 1200 Cross Tee	1200	60
KL600BL	Kwikloc Black 600 Cross Tee	600	60
WALL ANGLE & BULKHEAD			
AST3600BL	Kwikloc Black Standard Wall Angle	3600	10
ASL3600BL	Kwikloc Black Shadowline Wall Angle	3600	10
ACCESSORIES			
Refer to the Kwikloc Regal or Seismic Range			

Kwikloc Natural Anodised Ceiling Grid



KL3600P



KL1200P



KL600P



KLBH4000

PART NO.	DESCRIPTION	LENGTH MM	PIECES / PACK
GRID COMPONENTS			
KL3600NA	Kwikloc Natural Anodised Main Tee	3600	20
KL1200NA	Kwikloc Natural Anodised 1200 Cross Tee	1200	60
KL600NA	Kwikloc Natural Anodised 600 Cross Tee	600	60
WALL ANGLE & BULKHEAD			
AST3600NA	Kwikloc Natural Anodised Standard Wall Angle	3600	10
ASL3600NA	Kwikloc Natural Anodised Shadowline Wall Angle	3600	10
ASTS3600NA	Kwikloc Natural Anodised Seismic Wall Angle	3600	10
ACCESSORIES			
Refer to Kwikloc Regal or Seismic			

Kwikloc Premium 15mm Ceiling Grid

PROJECT SUPPLY ONLY - 11 WEEKS LEAD TIME			
PART NO.	DESCRIPTION	LENGTH MM	PIECES / PACK
GRID COMPONENTS			
KL3600P	Kwikloc Premium Main Tee	3600	25
KL1200P	Kwikloc Premium 1200 Cross Tee	1200	90
KL600P	Kwikloc Premium 600 Cross Tee	600	60
WALL ANGLE & BULKHEAD			
AST3600	Kwikloc Standard Wall Angle	3600	10
ASL3600	Kwikloc Shadowline Wall Angle	3600	10
KLBH4000	Kwikloc 4000 13mm Bulkhead	4000	10
ACCESSORIES			
Refer to the Kwikloc Regal Range			

Kwikloc One-Way Exposed System

PART NO.	DESCRIPTION	LENGTH MM	PIECES / PACK
GRID COMPONENTS			
KL3600	Kwikloc 24mm Face Main Tee	3600	20
KL3600P	Kwikloc 15mm Face Main Tee	3600	25
KLTH3600PL	Kwikloc 32mm Top Hat One Way Main Tee	3600	16
T SPLINE			
KLS1200	Kwikloc 24 x 21mm Locking T Spline	1200	120
KLS1350	Kwikloc 24 x 21mm Locking T Spline	1350	120
IM1200	Intermediate 1200 T Spline	1195	20
IM1200/TH	Intermediate 1200 Top Hat T Spline	1188	20
IM1350	Intermediate 1350 T Spline	1345	20
IM1350/TH	Intermediate 1350 Top Hat T Spline	1338	20



KL3600



KL3600P

Kwiklux LED Lighting

PART NO.	DESCRIPTION	LENGTH MM	PIECES / PACK
GRID COMPONENTS			
KGL12	Kwiklux LED 24mm Opal Spacer Light	1200	each
KGL06	Kwiklux LED 24mm Opal Spacer Light	600	each
KGL12B	Kwiklux LED 24mm Black Spacer Light	1200	each
KGL06B	Kwiklux LED 24mm Black Spacer Light	600	each
KGL12LG	Kwiklux LED 24mm Opal Low Glare Spacer Light	1200	each
KGL06LG	Kwiklux LED 24mm Opal Low Glare Spacer Light	600	each
KGL12LGB	Kwiklux LED 24mm Black Low Glare Spacer Light	1200	each
KGL06LGB	Kwiklux LED 24mm Black Low Glare Spacer Light	600	each



KGL12




KGL12B



KGL12LG

Curved Ceiling Products

PART NO.	DESCRIPTION	LENGTH MM	PIECES / PACK
GRID COMPONENTS			
CURV1	Curved Wall Angle / Tee	3600	
CURV2	Column Rings over 400mm Diameter		
CURV3	Column Rings 400mm Diameter and under		
CURV4	Curved Bulkhead	4000	
CURVPK	Packaging / Delivery on Curved Products		



Kwikloc 32mm Mitred Top Hat System - Corporate

PART NO.	DESCRIPTION	LENGTH MM	PIECES / PACK
GRID COMPONENTS			
KLTH3600	Kwikloc Corporate Top Hat 3600 Main Tee	3600	16
KLTH1200	Kwikloc Corporate Top Hat 1200 Main Tee	1200	48
KLTH4050	Kwikloc Corporate Top Hat 4050 Main Tee	4050	16
KLTH1350	Kwikloc Corporate Top Hat 1350 Main Tee	1350	48
KLTH4500	Kwikloc Corporate Top Hat 4500 Main Tee	4500	16
KLTH1500	Kwikloc Corporate Top Hat 1500 Main Tee	1500	48
Imperial / Anodised Top Hat Projects POA			
WALL ANGLE & BULKHEAD			
Refer to Kwikloc Regal			
ACCESSORIES			
TH200	Kwikloc Top Hat Main Tee Joiner		100
For other Accessories refer to Kwikloc Regal			

Kwikloc 32mm Mitred Top Hat System - Seismic

PART NO.	DESCRIPTION	LENGTH MM	PIECES / PACK
GRID COMPONENTS			
KLTH3600S	Kwikloc Seismic Mitred Top Hat 3600 Main Tee	3600	
KLTH1200S	Kwikloc Seismic Mitred Top Hat 1200 Cross Tee	1200	
KLTH4050S	Kwikloc Seismic Mitred Top Hat 4050 Main Tee	4050	
KLTH1350S	Kwikloc Seismic Mitred Top Hat 1350 Cross Tee	1350	
KLTH4500S	Kwikloc Seismic Mitred Top Hat 4500 Main Tee	4500	
KLTH1500S	Kwikloc Seismic Mitred Top Hat 1500mm Cross Tee	1500	
Imperial / Anodised Top Hat Projects POA			
WALL ANGLE & BULKHEAD			
Refer to Kwikloc Seismic			
ACCESSORIES			
Refer to Kwikloc Seismic			


Kwikloc C & T Splines

PART NO.	DESCRIPTION	LENGTH MM	PIECES / PACK
GRID COMPONENTS			
CS1200	1200 Back to Back C Spline	1188	20
CS1350	1350 Back to Back C Spline	1338	20
CS1500	1500 Back to Back C Spline	1488	20
IM1200	1200 Intermediate T Spline	1188	20
IM1350	1350 Intermediate T Spline	1338	20
IM1500	1500 Intermediate T Spline	1488	20



Kwik Connect Steel Grid System

PART NO.	DESCRIPTION	LENGTH MM	PIECES / PACK
GRID COMPONENTS			
VT3600	Kwik Connect Main Tee	3600	20
VT1200	Kwik Connect 1200 Cross Tee	1200	60
VT600	Kwik Connect 600 Cross Tee	600	60
WALL ANGLE & BULKHEAD			
VTML3600	Kwik Connect Standard Wall Angle 3.6m	3600	1.00
ASTS3600	Kwikloc Seismic Fixed Side Wall Angle 3600	3600	1.00
ASLS3600	Kwikloc Aluminium Seismic Fixed Shadowline Wall Angle	3600	1.00
KLBH4000	Kwikloc Aluminium 4000 13mm Bulkhead Satin White	4000	1.00
ACCESSORIES			
A93S	Seismic Fixed Side Shadowline Bracket		100
A93SL	Seismic Slotted Shadowline Bracket		100
KLSEI175-VS	KwikConnect Seismic Spring Cup		100






Premium ceiling tiles

Plasterboard Tiles

Acoustic Tiles

Timber Ceiling Tiles

Plasterboard / Mineral Fibre Tiles




PART NO.	DESCRIPTION	PIECES / PACK
PLASTERBOARD CEILING PANELS 1200 X 600 – 10MM		
FROST	Studorm Frost Panel – Foilback 1200X600-10mm	6


PART NO.	DESCRIPTION	MODULE DIMENSIONS MM	PIECES / PK	M ² / PACK
MINERAL FIBRE TILES – NCS RANGE				
NA1260S	NCS Apex Ceiling Tile Acoustic Fine Fissured SQ Edge 1200 x 600 x 16mm (8/Ctn)	1200 x 600 x 16	8	5.76
NP1260S	NCS Pinnacle Ceiling Tile Acoustic Fleece Faced SQ Edge 1200 x 600x 19mm (6/Ctn)	1200 x 600 x 19	6	4.32
NPH1260S	NCS Pinnacle Health Ceiling Tile Acoustic Fleece Faced SQ Edge 1200 x 600x 19mm (6/Ctn)	1200 x 600 x 19	6	4.32

Mineral Fibre Tile - Rockfon Range (Aquatic)

PART NO.	DESCRIPTION	PIECES/ PACK	M ² / PACK
RFONCLP1260	Rockfon Clean Space Pure RH100 1200x600x20mm (12/ctn)	12	8.64



Atom 2
Open Area: 6%



Linear Mix
Open Area: 12%

Kwiktile Acoustic Timber Ceiling Tiles

PART NO.	DESCRIPTION	PIECES / PACK
KWIKTILE TIMBER CEILING PANELS		
KWIKTILE	Kwiktile 1200 x 600 x 12mm Timber Acoustic Ceiling Tile (6 per pack) Hickory or Caledonian Oak/Atom 2 or Linear Mix Pattern	6



Hickory



Caledonian Oak

Due to currency fluctuations, it is advised to contact Studform prior to ordering mineral fibre tiles



Access panels

Fire Rated Access Panels

Access Panels



PART NO.	LOCK TYPE	DIMENSIONS		
HINGED ACCESS PANEL/FIRE RATED 2 HOURS				
KSB2FR** (30 / 45 / 56)	Set Bead	300 x 300 MM	450 x 450 MM	560 x 560 MM
KFL2FR** (30 / 45 / 56)	Flange	300 x 300 MM	450 x 450 MM	560 x 560 MM

A photograph of a modern office environment with glass-walled partition suites. The text 'Aluminium partition suite' is overlaid on the image in a large, red, sans-serif font.






Aluminium partition suite

Korporate Series

Perforated Head Track

Skirting and Accessories



Korporate Series Aluminium Partition Systems – 1000 Suite



PART NO.	DESCRIPTION	LENGTH MM
KORPORATE SERIES 1000 SUITE – 64MM STUD SYSTEM		
K1000NA	Main Frame	5500
K1001NA	Main / Door Frame	5500
K1002NA	Sill Transom	5500
K1003NA	Sill Bead	5500
K1004NA	Glazing Adaptor	5500
K1005NA	Ceiling Frame Adapter	5500
K1009NA	Plain / Door Frame	5500
K1010NA	Standard Ceiling Channel	5500
K1011NA	Shadowline Ceiling Channel	5500
DOOR STOPS / POCKET FILLERS – SUITS ALL KORPORATE SERIES SYSTEMS		
K1012NA	Pocket Filler	5500
K1013NA	35mm Door Stop	5500
K1014NA	45mm Door Stop	5500
K1015NA	40mm Door Stop	5500
K1016NA	55mm Door Stop / 45mm Acoustic Door Stop	5500
K1017NA	42mm Door Stop	5500

NATURAL ANODISED


PERFORATED SECTION – FOR FLUSH S/LINE FINISH		
1011F	64mm Headtrack Perforated P50 Finish	3600




Korporate Series Aluminium Partition Systems – 1000 Suite

PART NO.	DESCRIPTION	LENGTH MM
KORPORATE SERIES 1000 SUITE – 64MM STUD SYSTEM		
K1000PC	Main Frame	5500
K1001PC	Main / Door Frame	5500
K1002PC	Sill Transom	5500
K1003PC	Sill Bead	5500
K1004PC	Glazing Adaptor	5500
K1005PC	Ceiling Frame Adapter	5500
K1009PC	Plain / Door Frame	5500
K1010PC	Standard Ceiling Channel	5500
K1011PC	Shadowline Ceiling Channel	5500
DOOR STOPS / POCKET FILLERS – SUITS ALL KORPORATE SERIES SYSTEMS		
K1012PC	Pocket Filler	5500
K1013PC	35mm Door Stop	5500
K1014PC	45mm Door Stop	5500
K1015PC	40mm Door Stop	5500
K1016PC	55mm Door Stop / 45mm Acoustic Door Stop	5500
K1017PC	42mm Door Stop	5500


POWDERCOATED




K1000




K1001




K1002/03



K1004




K1009




K1005


COLOURS		
ALMOND IVORY	CLARET SATIN	PEARL WHITE
ANODIC BRONZE	COOL WHITE	POTTERY SATIN
APO GREY SATIN	DOESKIN SATIN	PRIMROSE
ARROWHEAD	FEDERATION RED	RIVERGUM
BERRY GREY	HAMERSLEY BROWN	ROSEBERRY GREY
BLACK GLOSS	SATIN	STONE BEIGE SATIN
BLACK MATT	HAWTHORN GREEN	SILVER GLO PEARL
BLACK ONYX PEARL	IVORY COAST	STROMBOLL
BLACK SATIN	MAGNOLIA	TRANSFORMER GREY
BRIGHT WHITE	NOTRE DAME	WHITE BIRCH
CHARCOAL	MOTHER OF PEARL	WHITE SATIN
CHARCOAL MATT PEARL	OLDE PEWTER SATIN	
	OYSTER GREY	



K1011




K1010



K1013



K1012



K1016













K1015



K1014

Korporate Series Aluminium Partition Systems – 3000 Suite 7000 Suite













PART NO.	DESCRIPTION	LENGTH MM
KORPORATE SERIES 3000 SUITE – 92MM STUD SYSTEM		
K3001NA	Main / Door Frame	5500
K3002NA	Sill Transom	5500
K1003NA	Sill Bead	5500
K3004NA	Glazing Adaptor	5500
K3005NA	Ceiling Frame Adapter	5500
K3011NA	Shadowline Ceiling Channel	5500
KORPORATE SERIES 7000 SUITE – 76MM STUD SYSTEM		
K7001NA	Main / Door Frame	5500
K7002NA	Sill Transom	5500
K1003NA	Sill Bead	5500
K7004NA	Glazing Adaptor	5500
K7005NA	Ceiling Frame Adapter	5500
K7011NA	Shadowline Ceiling Channel	5500

NATURAL ANODISED

Korporate Series Aluminium Partition Systems – 3000 Suite 7000 Suite

PART NO.	DESCRIPTION	LENGTH MM
KORPORATE SERIES 3000 SUITE – 92MM STUD SYSTEM		
K3001PC	Main / Door Frame	5500
K3002PC	Sill Transom	5500
K1003PC	Sill Bead	5500
K3004PC	Glazing Adaptor	5500
K3005PC	Ceiling Frame Adapter	5500
K3011PC	Shadowline Ceiling Channel	5500
KORPORATE SERIES 7000 SUITE – 76MM STUD SYSTEM		
K7001PC	Main / Door Frame	5500
K7002PC	Sill Transom	5500
K1003PC	Sill Bead	5500
K7004PC	Glazing Adaptor	5500
K7005PC	Ceiling Frame Adapter	5500
K7011PC	Shadowline Ceiling Channel	5500

POWDERCOATED



COLOURS		
ALMOND IVORY	CLARET SATIN	PEARL WHITE
ANODIC BRONZE	COOL WHITE	POTTERY SATIN
APO GREY SATIN	DOESKIN SATIN	PRIMROSE
ARROWHEAD	FEDERATION RED	RIVERGUM
BERRY GREY	HAMERSLEY BROWN	ROSEBERRY GREY
BLACK GLOSS	SATIN	STONE BEIGE SATIN
BLACK MATT	HAWTHORN GREEN	SILVER GLO PEARL
BLACK ONYX PEARL	IVORY COAST	STROMBOLL
BLACK SATIN	MAGNOLIA	TRANSFORMER GREY
BRIGHT WHITE	NOTRE DAME	WHITE BIRCH
CHARCOAL	MOTHER OF PEARL	WHITE SATIN
CHARCOAL MATT PEARL	OLDE PEWTER SATIN	
	OYSTER GREY	

Aluminium Skirting & Accessories



PART NO.	DESCRIPTION	LENGTH MM	
ALUMINIUM SKIRTING			NAT ANOD
1026NA	100mm Adhesive Fix Skirting Natural Anodised	3600	
1028NA	150mm Adhesive Fix Skirting Natural Anodised	3600	

PART NO.	DESCRIPTION	LENGTH MM
KORPORATE SERIES PARTITION ACCESSORIES		
ANBL10	Anodising Block	1/pk
64WDJ	K400 Series Drilling Jig	1/pk
64DJ	K1000 Series Drilling Jig	1/pk
76DJ	K7000 Series Drilling Jig	1/pk
92DJ	K3000 Series Drilling Jig	1/pk
OTHER ACCESSORIES		
1020B	Schlegel Wool Pile - Black	100m
1020G	Schlegel Wool Pile - Grey	100m
1021	Semi - Acoustic Door Seal	100m
1024	Glazing Support Block 10 x 12mm	500/pk
CFP100	1M Self Adhesive Carpet Floor Protection Roll	100M
CCS	Korporate Series Ceiling Channel Corner Stakes	
CSS	Korporate Series Ceiling Channel Straight Stakes	
MSS	Korporate Series Main Frame Straight Stakes	
MCS	Korporate Series Main Frame Corner Stakes	



Drywall framing systems

Steel Studwork

Fire Rated Systems

Battens

Concealed Suspension


Drywall / Fire Rated Framing Systems – 0.50-0.55 BMT



64mm Track



64mm Stud



76mm Stud

PART NO.	DESCRIPTION	LENGTH MM	PIECES / PACK
WALL TRACK 0.55			
630T	64mm Track	3000	10
730T	76mm Track	3000	10
930T	92mm Track	3000	10
WALL STUD 0.55			
627S	64mm Stud	2700	10
630S	64mm Stud	3000	10
636S	64mm Stud	3600	10
642S	64mm Stud	4200	10
727S	76mm Stud	2700	10
730S	76mm Stud	3000	10
736S	76mm Stud	3600	10
742S	76mm Stud	4200	10
748S	76mm Stud	4800	10
927S	92mm Stud	2700	10
930S	92mm Stud	3000	10
936S	92mm Stud	3600	10
942S	92mm Stud	4200	10
948S	92mm Stud	4800	10
960S	92mm Stud	6000	10

Drywall / Fire Rated Framing Systems – 0.75 BMT

PART NO.	DESCRIPTION	LENGTH MM	PIECES / PACK
TOP AND BOTTOM TRACK 0.75			
630TH	64mm Track	3000	10
730TH	76mm Track	3000	10
930TH	92mm Track	3000	10
1530TH	150mm Track	3000	10
DEFLECTION HEAD 0.75			
630DH	64mm Deflection Head Track	3000	10
730DH	76mm Deflection Head Track	3000	10
930DH	92mm Deflection Head Track	3000	10
1530DH	150mm Deflection Head Track	3000	10
WALL STUD 0.75			
727SH	76mm Stud	2700	10
730SH	76mm Stud	3000	10
736SH	76mm Stud	3600	10
742SH	76mm Stud	4200	10
927SH	92mm Stud	2700	10
930SH	92mm Stud	3000	10
936SH	92mm Stud	3600	10
942SH	92mm Stud	4200	10
948SH	92mm Stud	4800	10
960SH	92mm Stud	6000	10
1560SH	150mm Stud	6000	10



Drywall / Fire Rated Framing Systems – 1.15 BMT



PART NO.	DESCRIPTION	LENGTH MM	PIECES / PACK
TOP AND BOTTOM TRACK 1.15			
730TEH	76mm Track	3000	10
930TEH	92mm Track	3000	10
1530TEH	150mm Track	3000	10
DEFLECTION HEAD 1.15			
730DEH	76mm Deflection Head Track	3000	10
930DEH	92mm Deflection Head Track	3000	10
1530DEH	150mm Deflection Head Track	3000	10
WALL STUD 1.15			
748SEH	76mm Stud	4800	10
760SEH	76mm Stud	6000	10
948SEH	92mm Stud	4800	10
960SEH	92mm Stud	6000	10
1548SEH	150mm Stud	4800	10
1560SEH	150mm Stud	6000	10
1572SEH	150mm Stud	7200	10
*Lead time may be required on 1.15mm Stud and Track			

NOGGING TRACK 0.75			
645NH	64mm Nogging Track - 450mm Centre	3600	10
745NH	76mm Nogging Track - 450mm Centre	3600	10
945NH	92mm Nogging Track - 450mm Centre	3600	10
660NH	64mm Nogging Track - 600mm Centre	3600	10
760NH	76mm Nogging Track - 600mm Centre	3600	10
960NH	92mm Nogging Track - 600mm Centre	3600	10
ANCILLARY PRODUCTS			
CS112	Stud Crimper Malco USA		ea
SPT-10	Studform Trackloc Seismic Wall Brace		ea
SPT-10R	Studform Trackloc Seismic Retro Wall Brace		ea

Concealed Suspension Systems

PART NO.	DESCRIPTION	LENGTH MM	PIECES / PACK
CONCEALED SCREW UP CEILING SYSTEM			
M2736	25mm Top Cross Rail	3600	
M2748	25mm Top Cross Rail	4800	
M2936	28mm Furring Channel	3600	
M2948	28mm Furring Channel	4800	
M2960	28mm Furring Channel	6000	
M40	28mm Furring Channel Track	3000	
CLIPS AND JOINERS			
M39	Locking Key		
M54	Adjustable Suspension Rod Joiner		
M60	Combination TCR Clip & Rod Joiner		
M38	F/C Joinder		
SR5.0	5.0mm Galv Suspension Rod	3600	
VF1	Purlin Clip – Steel		
VF2	Purlin Clip – Timber		
2D15	F/C Beta Fix Clip		
2D15L	F/C Beta Fix Clip – Long		





Plasterboard & accessories

Plasterboard

Compounds

Insulation

Metal Angles

Plasterboard, Cement Sheet Products

PART NO.	DESCRIPTION	WIDTH	LENGTH AVAILABLE MM							
			2400	2700	3000	3600	4200	4800	5400	6000
PLASTERBOARD, CEMENT SHEET PRODUCTS										
RE10	10mm Plasterboard	1200	●	●	●	●	●	●	●	●
RE10	10mm Plasterboard	1350	●		●	●	●	●		●
WR10	10mm Water Resistant Plasterboard	1200	●	●	●	●	●	●		
WR10	10mm Water Resistant Plasterboard	1350	●		●	●	●	●		
CB10	10mm Ceiling Board	1200	●	●	●	●	●	●		●
CB10	10mm Ceiling Board	1350	●		●	●	●	●		●
RE13	13mm Plasterboard	1200	●	●	●	●	●	●	●	●
RE13	13mm Plasterboard	1350			●	●	●	●		
WR13	13mm Water Resistant Plasterboard	1200	●	●	●	●	●			
SC13	13mm Soundcheck Plasterboard	1200			●	●				
IC13	13mm Impact Check Plasterboard	1200			●	●		●		
FR13	13mm Fire Rated Plasterboard	1200	●	●	●	●				
FR16	16mm Fire Rated Plasterboard	1200	●	●	●	●				
SW25	25mm Shaft Wall	600			●	●				



KF25



UB20

PART NO.	DESCRIPTION	SIZE
COMPOUNDS & ADHESIVES		
MB20	Basecoat Longset 90	20 kg
CC20	Cornice Adhesive 60	20 kg
KF25	Masterline Topcoat Bucket	23.4 kg
SA5.2	5.2kg Stud Adhesive	5.2 kg
TAPES, ABRASIVES & SEALANTS		
PT75	Paper Tape Perforated	75 m
ET90	Easy Tape	90 m
5P12L10	Sandpaper Sheets Large 120g PLASTERX Pk of 10	PACK
6SA500	Spray Adhesive	500 mL
SP180	Super Pads 180 Grit	225mL

Insulation

PART NO.	DESCRIPTION	TH. MM			APPROX. M2 / PACK NETT	BATTS PACK / PRICE
ACOUSTIC POLYESTER ROLLS						
AS613	AUS3 Acoustic Insulation	65	610	16.5 m	2x 10.06/roll	
AS614	AUS4 Acoustic Insulation	65	610	16.5 m	2x 10.06/roll	
AS615	AUS5 Acoustic Insulation	65	610	16.5 m	2x 10.06/roll	

Other products available on request.

Metal Plasterboard Accessories

PART NO.	DESCRIPTION	LENGTH MM
EXTERNAL CORNERS		
CEX9024	90° Plaster Ex Angle	2400
CEX9027	90° Plaster Ex Angle	2700
CEX9030	90° Plaster Ex Angle	3000
CEX135	135° Plaster Ex Angle	3000
INTERNAL CORNERS		
BA90	90° Backing Angle	2400
CIN90	90° Plaster Internal Angle	3000
CIN135	135° Plaster Internal Angle	3000
STOPPING ANGLES		
LSA6	6mm Stopping Angle	3000
LSA10	10mm Stopping Angle	3000
LSA13	13mm Stopping Angle	3000
LSA16	16mm Stopping Angle	3000
SL6	6mm S/Line Stopping Angle	3000
SL10	10mm S/Line Stopping Angle	3000
CASING BEAD		
MCB6	6mm Casing Beads	3000
MCB10	10mm Casing Beads	3000
MCB13	13mm Casing Beads	3000
MCB16	16mm Casing Beads	3000
SCB10	10mm S/Line Casing Beads	3000
SCB13	13mm S/Line Casing Beads	3000
ARCHBEAD		
AB180	Archbead	3000
EXPANSION JOINTS		
EXJ10	Expansion Joint	3000
PVC TRIMS		
TB3010	PVC Tear Away Bead 10mm	3000
TB3010SL	PVC Shadowline Tear Away Bead 10mm	3000





Premium residential doors

Veneer Doors

Square Groove Doors

Capitale Range

37MM INTERNAL MDF, SOLID CORE			
HEIGHT (MM)	CUSTOM WIDTHS (MM)		
2100	620 - 910	920	930 -1200
2400	620 - 910	920	930 -1200
2700	620 - 910	920	930 -1200
37MM INTERNAL MDF, FOAM CORE			
2100	620 - 910	920	930 -1200
2400	620 - 910	920	930 -1200
2700	620 - 910	920	930 -1200

ALTERATIONS
Balmoral Design
Steel inserts for cavity slider doors
Vision Panel Cutout, unglazed
Bottom Door seal provision
Air relief grille cut out





Adele



Michel




Celine

Royale Range

37MM INTERNAL PRIMED MDF, SOLID CORE			
HEIGHT (MM)	CUSTOM WIDTHS (MM)		
2100	620 - 910	920	930 -1200
2400	620 - 910	920	930 -1200
2700	620 - 910	920	930 -1200
37MM INTERNAL PRIMED MDF, FOAM CORE			
2100	620 - 910	920	930 -1200
2400	620 - 910	920	930 -1200
2700	620 - 910	920	930 -1200

ALTERATIONS
Balmoral Design
Steel inserts for cavity slider doors
Vision Panel Cutout, unglazed
Bottom Door seal provision
Air relief grille cut out

Flush Panel Doors - Wide Rail



Redicote Door
Wide Rail to full
perimeter
(shown dotted)

PART NO.	THICKNESS	SIZE MM
HONEYCOMB CORE WIDE RAIL TOP & BOTTOM REDICOTE DOOR		
HC352172-WR	35	2040 X 720
HC352182-WR	35	2040 X 820
HC352192-WR	35	2040 X 920
HC352472-WR	35	2340 X 720
HC352482-WR	35	2340 X 820
HC352492-WR	35	2040 X 920

Note: Above doors unavailable for specific sizing or numbering.
Size shown only.
Standard alterations unavailable on this product.

Veneer Entry Doors

VENEER ENTRY DOORS				
Spotted Gum, Tas Oak, Blackwood, American White Oak, Blackbutt				
SOLID CORE DOOR - 44mm with Matching 12mm Hardwood Edge Strips				
CODE	HEIGHT	WIDTH (MM)		CODE
SC44TVEX219	2100	620-920	920-1200	SC44TVEX2112
SC44TVEX249	2400	620-920	920-1200	SC44TVEX2412
SC44TVEX279	2700	620-920	920-1200	SC44TVEX2712

V-GROOVE DOORS				
SOLID CORE DOOR - 44mm with Matching 12mm Hardwood Edge Strips				
CODE	HEIGHT	WIDTH (MM)		CODE
SC44TVEX219-VG	2100	620-920	920-1200	SC44TVEX2112-VG
SC44TVEX249-VG	2400	620-920	920-1200	SC44TVEX2412-VG
SC44TVEX279-VG	2700	620-920	920-1200	SC44TVEX2712-VG



American White Oak



Spotted Gum



Blackwood



V-Groove Option

ALTERATIONS
Vision Panel Cutout, unglazed
Bottom Door seal provision



Commercial doors

Flush Panel Doors

Fire Doors

Metal Clad Doors

X-ray Doors

Flush Panel
Doors -
Standard
Commercial
40mm

SOLID CORE, 40MM FLUSH PANEL MDF				
CODE	HEIGHT (MM)	WIDTH (MM)		CODE
SC40219P	2100	620 - 910	920 - 1200	SC4021120P
SC40249P	2400	620 - 910	920 - 1200	SC4024120P
SC40279P	2700	620 - 910	920 - 1200	SC4027120P

FOAM CORE, 40MM FLUSH PANEL MDF				
CODE	HEIGHT (MM)	WIDTH (MM)		CODE
FF40219P	2100	620 - 910	920 - 1200	FF4021120P
FF40249P	2400	620 - 910	920 - 1200	FF4024120P
FF40279P	2700	620 - 910	920 - 1200	FF4027120P

SOLID CORE, 40MM FLUSH PANEL MDF, 12 MM EDGE STRIPS				
CODE	HEIGHT (MM)	WIDTH (MM)		CODE
SC40219PES	2100	620 - 910	920 - 1200	SC402112PES
SC40219PES	2400	620 - 910	920 - 1200	SC402412PES
SC40279PES	2700	620 - 910	920 - 1200	SC402712PES

FOAM CORE, 40MM FLUSH PANEL MDF, 12 MM EDGE STRIPS				
CODE	HEIGHT (MM)	WIDTH (MM)		CODE
FF40219PES	2100	620 - 910	920 - 1200	FF402112PES
FF40249PES	2400	620 - 910	920 - 1200	FF402412PES
FF40279PES	2700	620 - 910	920 - 1200	FF402712PES

For all aluminium doors, and frames enquire directly with Studform estimating.

FLUSH PANEL DOORS - EXTERIOR MATERIAL ALTERATIONS
Extra - Duracoat / External Ply
Extra - Marine Ply

ALTERATIONS
Steel inserts for cavity slider doors
Vision Panel Cutout, unglazed
Bottom Door seal provision
Air relief grille cut out
Sliding Door Groove
Double Door Rebate

Flush Panel
Doors -
Standard
Commercial
42mm

SOLID CORE, 42MM FLUSH PANEL MDF				
CODE	HEIGHT (MM)	WIDTH (MM)		CODE
SC42219P	2100	620 - 910	920 - 1200	SC422112P
SC42249P	2400	620 - 910	920 - 1200	SC422412P
SC42279P	2700	620 - 910	920 - 1200	SC422712P

FOAM CORE, 42MM FLUSH PANEL MDF				
CODE	HEIGHT (MM)	WIDTH (MM)		CODE
FF42219P	2100	620 - 910	920 - 1200	FF422112P
FF42249P	2400	620 - 910	920 - 1200	FF422412P
FF42279P	2700	620 - 910	920 - 1200	FF422712P

SOLID CORE, 42MM FLUSH PANEL MDF, 12 MM EDGE STRIPS				
CODE	HEIGHT (MM)	WIDTH (MM)		CODE
SC42219PES	2100	620 - 910	920 - 1200	SC422112PES
SC42249PES	2400	620 - 910	920 - 1200	SC422412PES
SC42279PES	2700	620 - 910	920 - 1200	SC422712PES

FOAM CORE, 42MM FLUSH PANEL MDF, 12 MM EDGE STRIPS				
CODE	HEIGHT (MM)	WIDTH (MM)		CODE
FF42219PES	2100	620 - 910	920 - 1200	FF422112PES
FF42249PES	2400	620 - 910	920 - 1200	FF422412PES
FF42279PES	2700	620 - 910	920 - 1200	FF422712PES

For all aluminium doors, and frames enquire directly with Studform estimating.

FLUSH PANEL DOORS - EXTERIOR MATERIAL ALTERATIONS
Extra - Duracoat / External Ply
Extra - Marine Ply

ALTERATIONS
Steel inserts for cavity slider doors
Vision Panel Cutout, unglazed
Bottom Door seal provision
Air relief grille cut out
Sliding Door Groove
Double Door Rebate

Flush Panel
Doors -
Standard
Commercial
45mm

SOLID CORE, 45MM FLUSH PANEL MDF				
CODE	HEIGHT (MM)	WIDTH (MM)		CODE
SC45219P	2100	620 - 910	920 - 1200	SC452112P
SC45249P	2400	620 - 910	920 - 1200	SC452412P
SC45279P	2700	620 - 910	920 - 1200	SC452712P

FOAM CORE, 45MM FLUSH PANEL MDF				
CODE	HEIGHT (MM)	WIDTH (MM)		CODE
FF45219P	2100	620 - 910	920 - 1200	FF452112P
FF45249P	2400	620 - 910	920 - 1200	FF452412P
FF45279P	2700	620 - 910	920 - 1200	FF452712P

SOLID CORE, 45MM FLUSH PANEL MDF, 12 MM EDGE STRIPS				
CODE	HEIGHT (MM)	WIDTH (MM)		CODE
SC45219PES	2100	620 - 910	920 - 1200	SC452112PES
SC45249PES	2400	620 - 910	920 - 1200	SC452412PES
SC45279PES	2700	620 - 910	920 - 1200	SC452712PES

FOAM CORE, 45MM FLUSH PANEL MDF, 12 MM EDGE STRIPS				
CODE	HEIGHT (MM)	WIDTH (MM)		CODE
FF45219PES	2100	620 - 910	920 - 1200	FF452112PES
FF45249PES	2400	620 - 910	920 - 1200	FF452412PES
FF45279PES	2700	620 - 910	920 - 1200	FF452712PES

For all aluminium doors, and frames enquire directly with Studform estimating.

FLUSH PANEL DOORS - EXTERIOR MATERIAL ALTERATIONS
Extra - Duracoat / External Ply
Extra - Marine Ply

ALTERATIONS
Steel inserts for cavity slider doors
Vision Panel Cutout, unglazed
Bottom Door seal provision
Air relief grille cut out
Sliding Door Groove
Double Door Rebate

Fire Door Sets

Manufactured to: AS1530.4. 2015 Standard

Fire Doors

Code	HEIGHT (MM)	WIDTH (MM)	PERFORMANCE		Code
FD472492120P	2400H	400-920	60min 37mm	120min 47mm	FD472492120P
FD472412120P	2400H	920-1200	60min 37mm	120min 47mm	FD472412120P

For 180 min / 3 hr Fire Doors... POA

Fire Door Frames (including Back Filling)

Code	HEIGHT (MM)	WIDTH (MM)	PERFORMANCE		Code
SDF21BF42P	2100H	400-1200	60min 37mm	120min 47mm	SDF21BF51P
SDF24BF42P	2400H	400-1200	60min 37mm	120min 47mm	SDF24BF51P
DDF24BF42P	2400H	1200-1800	60min 37mm	120min 47mm	DDF24BF51P

For 180 min / 3 hr Fire Doors Frames... POA

ALTERATIONS
Fire Rated Vision Panel
Bottom Seal Provision
Fire Bolts



High Performance Acoustic Doors

Acoulite Doors

RW Acoustic Doors

Flush Panel Doors – Acoulite

ACOULITE - 43MM RW 34 ACOUSTIC DOOR			
CODE	HEIGHT (MM)	WIDTH (MM)	CODE
AC43219P	2100	920 - 1200	AC432112P
AC43249P	2400	920 - 1200	AC432412P
AC43279P	2700	920 - 1200	AC432712P

RW Acoustic Door Sets

RW 38 ACOUSTIC DOOR SET WITH SEALS (POA)		
CODE	SIZE	DESCRIPTION
RW38AC2492	44X2400X920	Rw38 Acoustic Door With Back Filled Frame And Seals
RW38AC2412	44X2400X1200	

RW 40 ACOUSTIC DOOR SET WITH SEALS (POA)		
CODE	SIZE	DESCRIPTION
RW40AC2492	44X2400X920	Rw40 Acoustic Door With Back Filled Frame And Seals
RW40AC2412	44X2400X1200	

RW 41 ACOUSTIC DOOR SET WITH ALUMINIUM FRAME AND SEALS (POA)		
CODE	SIZE	DESCRIPTION
RW41KAC2492	45X2400X920	Rw41 Acoustic Door With Back Filled Alu Frame And Seals
RW41KAC2412	45X2400X1200	

RW 43 ACOUSTIC DOOR SET WITH SEALS (POA)		
CODE	SIZE	DESCRIPTION
RW43AC2412	49X2400X920	Rw43 Acoustic Door With Back Filled Frame And Seals
RW43AC2492	49X2400X1200	

RW 48 ACOUSTIC DOOR SET WITH SEALS (POA)		
CODE	SIZE	DESCRIPTION
RW48AC2492	61X2400X920	Rw48 Acoustic Door With Back Filled Frame And Seals
RW48AC2412	61X2400X1200	


RW 51 ACOUSTIC DOOR SET WITH SEALS (POA)		
CODE	SIZE	DESCRIPTION
RW51AC2492	73X2400X920	Rw51 Acoustic Door With Back Filled Frame And Seals
RW51AC2412	73X2400X1200	

Previous Projects



New Royal Adelaide Hospital

Being the largest public hospital in South Australia, the engineers at NRAH wanted an easy to install ceiling system that would meet stringent seismic and health requirements. The Kwikloc Seismic ceiling grid provided the ultimate solution as the seismic movements held the highest benchmark and the grid met hygiene expectations due to the flat-even plane for perfect grid nesting.



888 Collins Street

A high-end hotel in Melbourne's city centre went above and beyond with design of their aquatic area. The Kwikloc Bespoke Black ceiling grid combined with black ceiling tiles raised the bar of indoor swimming pools, to a whole new level.



Tower 8 Office Building

With this building being a showpiece in a series of master planned developments, architects and builders were taking no shortcuts on quality and premium finishes. With a combination of Korporate partitions and Acoulite Doors, this office turned into an artpiece.