

Studform Product List




Ceilings

| | | |
|-------------------------------|--|---|
| Architectural ceiling systems | T-Bar Systems Mitred Top Hat Integrated Grid Lighting Accessories | 2 |
|-------------------------------|--|---|



| | | |
|-----------------------|--|----|
| Premium ceiling tiles | Plasterboard Tiles Acoustic Tiles Timber Ceiling Tiles | 10 |
|-----------------------|--|----|



| | | |
|---------------|------------|----|
| Access panels | Fire Rated | 12 |
|---------------|------------|----|



Walls


| | | |
|---------------------------|---|----|
| Aluminium partition suite | Korporate Series Perforated Head Track Skirting & Accessories | 14 |
|---------------------------|---|----|



| | | |
|-------------------------|---|----|
| Drywall framing systems | Steel Studwork Fire Rated Systems Battens Concealed Suspension | 20 |
|-------------------------|---|----|



| | | |
|----------------------------|---|----|
| Plasterboard & accessories | Plasterboard Compounds Insulation Metal Angles | 25 |
|----------------------------|---|----|



Doors /
Frames

| | | |
|---------------------------|---|----|
| Premium residential doors | Square Groove Doors Veneer Entry Doors | 28 |
|---------------------------|---|----|



| | | |
|---------------------------|--|----|
| Commercial doors / frames | Flush Panel Doors Fire Door Sets Metal Clad Doors X-Ray Doors Metal Frames | 32 |
|---------------------------|--|----|



| | | |
|---------------------------------|-------------------------------------|----|
| High performance acoustic doors | Acoulite Doors RW Acoustic Doors | 38 |
|---------------------------------|-------------------------------------|----|





Architectural ceiling systems

T-Bar Systems

Seismic Ceiling System

Mitred Top Hat

Integrated Grid Lighting

Accessories



KL3600



KL1200




KL600



AST3600




KLBH4000




A90S




A95




A93S



VF1




KL100



VF2



CL315



2424-4

Kwikloc Regal Ceiling Grid

| PART NO. | DESCRIPTION | LENGTH MM | PIECES / PACK |
|----------------------------------|------------------------------------|-----------|---------------|
| GRID COMPONENTS | | | |
| KL3600 | Kwikloc Main Tee | 3600 | 20 |
| KL1200 | Kwikloc 1200 Cross Tee | 1200 | 60 |
| KL600 | Kwikloc 600 Cross Tee | 600 | 60 |
| WALL ANGLE & BULKHEAD | | | |
| AST3600 | Kwikloc Standard Wall Angle | 3600 | 10 |
| ASL3600 | Kwikloc Shadowline Wall Angle | 3600 | 10 |
| KLBH4000 | Kwikloc 4000 13mm Bulkhead | 4000 | 10 |
| ACCESSORIES | | | |
| 2424 | Spring Suspension Hanger 5mm | | 500 |
| 2424-4 | Spring Suspension Hanger 4mm | | 100 |
| A90S | Right Angle Bracket | | 100 |
| A93S | Shadowline Angle Bracket | | 100 |
| A95 | 2 Hole Angle Clip | | 100 |
| CL315 | Blub Clip Spring Suspension Hanger | | 500 |
| KL100 | Kwikloc Bracket | | 100 |
| MULTIDX | Hold Down Clip | | 100 |
| SR2.5 | 2.5mm Galv Suspension Rod | 3600 | 100 |
| SR4.0 | 4.0mm Galv Suspension Rod | 3600 | 50 |
| SR5.0 | 5.0mm Galv Suspension Rod | 3600 | 50 |
| VF1 | Purlin Clip – Steel | | 100 |
| VF2 | Purlin Clip – Timber / Steel | | 100 |




KL3600S




KL1200S




KL600S



ASTS3600




ASTSA/B3600



ASTS3600XL




2424-4




A90S




A93S



ASLS3600XL



KLSEI85



KLPLSEI3600

Kwikloc Seismic Ceiling Grid

| PART NO. | DESCRIPTION | LENGTH MM | PIECES / PACK |
|----------------------------------|---|-----------|---------------|
| GRID COMPONENTS | | | |
| KL3600S | Kwikloc Seismic Main Tee | 3600 | 20 |
| KL1200S | Kwikloc Seismic 1200 Cross Tee | 1200 | 60 |
| KL600S | Kwikloc Seismic 600 Cross Tee | 600 | 60 |
| WALL ANGLE & BULKHEAD | | | |
| ASTS3600 | Kwikloc Seismic Fixed Side Wall Angle | 3600 | 10 |
| ASTSA/B3600 | Kwikloc Seismic 2 Part A/B Floating Wall Angle | 3600 | 8 |
| ASLS3600 | Kwikloc Seismic Fixed Shadowline Wall Angle | 3600 | 10 |
| ASLSA/B3600 | Kwikloc Seismic 2-part Floating Shadowline Wall Angle | 3600 | 8 |
| ASTS3600XL | Kwikloc 32mm Seismic Extra Ribbed Wall Angle | 3600 | 10 |
| ASLS3600XL | Kwikloc Seismic Extra Ribbed Shadowline wall angle | 3600 | 10 |
| KLPLSEI3600 | Kwikloc Plaster to Grid Trim | 3600 | 12 |
| ACCESSORIES | | | |
| 2424-4 | Spring Suspension Hanger 4mm | | 100 |
| A90S | Seismic Fixed Side Right Angle Bracket | | 100 |
| A93S | Seismic Fixed Side Shadowline Angle Bracket | | 100 |
| KLSEI150 | Kwikloc Seismic 2 Part Floating Wall Angle Bracket | | |
| KLSEI175 | Kwikloc Seismic Cross Tee Clip | | |
| KLSEI85 | Kwikloc Seismic XL/Plaster to Grid Bracket | | |
| KLSEI85SL | Kwikloc Seismic XL/Plaster to Grid Bracket Slotted | | |
| KLGRD-10K | Kwikloc Gridlok Seismic Brace Connector | | |
| HUX6 | Hillti Masonry Seismic Screw Bolt 6x55 | | 100 |
| RIVET | 5/32 Aluminium Rivet (500) | | 500 |
| SR2.5 | 2.5mm Galv Suspension Rod | 3600 | 100 |
| SR4.0 | 4.0mm Galv Suspension Rod | 3600 | 100 |
| TSO55 | Iconns Masonry Seismic Suspension Toggle | | 100 |

Kwikloc Aquatic Ceiling Grid

| PART NO. | DESCRIPTION | LENGTH MM | PIECES / PACK |
|----------------------------------|--|-----------|---------------|
| GRID COMPONENTS | | | |
| KL3600AQ | Kwikloc Aquatic Main Tee | 3600 | 20 |
| KL1200AQ | Kwikloc Aquatic 1200 Cross Tee | 1200 | 60 |
| KL600AQ | Kwikloc Aquatic 600 Cross Tee | 600 | 60 |
| WALL ANGLE & BULKHEAD | | | |
| AST3600AQ | Kwikloc Aquatic Standard Wall Angle | 3600 | 10 |
| ASL3600AQ | Kwikloc Aquatic Shadowline Wall Angle | 3600 | 10 |
| ASTS3600XLAQ | Kwikloc Aquatic Seismic Wall Angle | 3600 | 10 |
| ACCESSORIES | | | |
| KL100-AL | Kwikloc Aquatic Wall Angle Bracket | | 100 |
| KLSEI85-AL | Kwikloc Aquatic Seismic Wall Angle Bracket | | 100 |
| KLSEI85-SL-AL | Kwikloc Aquatic Seismic Wall Angle Slotted Bracket | | 100 |
| A90A | Right Angle Bracket Aluminium | | 100 |
| A90SA | | | |
| A93SLA | | | |
| A935A | | | |
| SRA4.0 | 4mm Aluminium Wire | 3600 | 50 |
| VFA3 | Aluminium Purlin Clip Assembly | | 100 |




KL3600AQ



KL1200AQ



KL600AQ



VFA3

Kwikloc Black Ceiling Grid

| PART NO. | DESCRIPTION | LENGTH MM | PIECES / PACK |
|---|-------------------------------------|-----------|---------------|
| GRID COMPONENTS | | | |
| KL3600BL | Kwikloc Black Main Tee | 3600 | 20 |
| KL1200BL | Kwikloc Black 1200 Cross Tee | 1200 | 60 |
| KL600BL | Kwikloc Black 600 Cross Tee | 600 | 60 |
| WALL ANGLE & BULKHEAD | | | |
| AST3600BL | Kwikloc Black Standard Wall Angle | 3600 | 10 |
| ASL3600BL | Kwikloc Black Shadowline Wall Angle | 3600 | 10 |
| ACCESSORIES | | | |
| Refer to the Kwikloc Regal or Seismic Range | | | |

Kwikloc Natural Anodised Ceiling Grid



KL3600P



KL1200P



KL600P



KLBH4000

| PART NO. | DESCRIPTION | LENGTH MM | PIECES / PACK |
|-----------------------------------|--|-----------|---------------|
| GRID COMPONENTS | | | |
| KL3600NA | Kwikloc Natural Anodised Main Tee | 3600 | 20 |
| KL1200NA | Kwikloc Natural Anodised 1200 Cross Tee | 1200 | 60 |
| KL600NA | Kwikloc Natural Anodised 600 Cross Tee | 600 | 60 |
| WALL ANGLE & BULKHEAD | | | |
| AST3600NA | Kwikloc Natural Anodised Standard Wall Angle | 3600 | 10 |
| ASL3600NA | Kwikloc Natural Anodised Shadowline Wall Angle | 3600 | 10 |
| ASTS3600NA | Kwikloc Natural Anodised Seismic Wall Angle | 3600 | 10 |
| ACCESSORIES | | | |
| Refer to Kwikloc Regal or Seismic | | | |

Kwikloc Premium 15mm Ceiling Grid

| PROJECT SUPPLY ONLY - 11 WEEKS LEAD TIME | | | |
|--|--------------------------------|-----------|---------------|
| PART NO. | DESCRIPTION | LENGTH MM | PIECES / PACK |
| GRID COMPONENTS | | | |
| KL3600P | Kwikloc Premium Main Tee | 3600 | 25 |
| KL1200P | Kwikloc Premium 1200 Cross Tee | 1200 | 90 |
| KL600P | Kwikloc Premium 600 Cross Tee | 600 | 60 |
| WALL ANGLE & BULKHEAD | | | |
| AST3600 | Kwikloc Standard Wall Angle | 3600 | 10 |
| ASL3600 | Kwikloc Shadowline Wall Angle | 3600 | 10 |
| KLBH4000 | Kwikloc 4000 13mm Bulkhead | 4000 | 10 |
| ACCESSORIES | | | |
| Refer to the Kwikloc Regal Range | | | |

Kwikloc One-Way Exposed System

| PART NO. | DESCRIPTION | LENGTH MM | PIECES / PACK |
|------------------------|---------------------------------------|-----------|---------------|
| GRID COMPONENTS | | | |
| KL3600 | Kwikloc 24mm Face Main Tee | 3600 | 20 |
| KL3600P | Kwikloc 15mm Face Main Tee | 3600 | 25 |
| KLTH3600PL | Kwikloc 32mm Top Hat One Way Main Tee | 3600 | 16 |
| T SPLINE | | | |
| KLS1200 | Kwikloc 24 x 21mm Locking T Spline | 1200 | 120 |
| KLS1350 | Kwikloc 24 x 21mm Locking T Spline | 1350 | 120 |
| IM1200 | Intermediate 1200 T Spline | 1195 | 20 |
| IM1200/TH | Intermediate 1200 Top Hat T Spline | 1188 | 20 |
| IM1350 | Intermediate 1350 T Spline | 1345 | 20 |
| IM1350/TH | Intermediate 1350 Top Hat T Spline | 1338 | 20 |







Kwiklux LED Lighting

| PART NO. | DESCRIPTION | LENGTH MM | PIECES / PACK |
|------------------------|---|-----------|---------------|
| GRID COMPONENTS | | | |
| KGL12 | Kwiklux LED 24mm Opal Spacer Light | 1200 | each |
| KGL06 | Kwiklux LED 24mm Opal Spacer Light | 600 | each |
| KGL12B | Kwiklux LED 24mm Black Spacer Light | 1200 | each |
| KGL06B | Kwiklux LED 24mm Black Spacer Light | 600 | each |
| KGL12LG | Kwiklux LED 24mm Opal Low Glare Spacer Light | 1200 | each |
| KGL06LG | Kwiklux LED 24mm Opal Low Glare Spacer Light | 600 | each |
| KGL12LGB | Kwiklux LED 24mm Black Low Glare Spacer Light | 1200 | each |
| KGL06LGB | Kwiklux LED 24mm Black Low Glare Spacer Light | 600 | each |



Curved Ceiling Products

| PART NO. | DESCRIPTION | LENGTH MM | PIECES / PACK |
|------------------------|---|-----------|---------------|
| GRID COMPONENTS | | | |
| CURV1 | Curved Wall Angle / Tee | 3600 | |
| CURV2 | Column Rings over 400mm Diameter | | |
| CURV3 | Column Rings 400mm Diameter and under | | |
| CURV4 | Curved Bulkhead | 4000 | |
| CURVPK | Packaging / Delivery on Curved Products | | |



Kwikloc 32mm Mitred Top Hat System - Corporate

| PART NO. | DESCRIPTION | LENGTH MM | PIECES / PACK |
|--|---|-----------|---------------|
| GRID COMPONENTS | | | |
| KLTH3600 | Kwikloc Corporate Top Hat 3600 Main Tee | 3600 | 16 |
| KLTH1200 | Kwikloc Corporate Top Hat 1200 Main Tee | 1200 | 48 |
| KLTH4050 | Kwikloc Corporate Top Hat 4050 Main Tee | 4050 | 16 |
| KLTH1350 | Kwikloc Corporate Top Hat 1350 Main Tee | 1350 | 48 |
| KLTH4500 | Kwikloc Corporate Top Hat 4500 Main Tee | 4500 | 16 |
| KLTH1500 | Kwikloc Corporate Top Hat 1500 Main Tee | 1500 | 48 |
| Imperial / Anodised Top Hat Projects POA | | | |
| WALL ANGLE & BULKHEAD | | | |
| Refer to Kwikloc Regal | | | |
| ACCESSORIES | | | |
| TH200 | Kwikloc Top Hat Main Tee Joiner | | 100 |
| For other Accessories refer to Kwikloc Regal | | | |

Kwikloc 32mm Mitred Top Hat System - Seismic

| PART NO. | DESCRIPTION | LENGTH MM | PIECES / PACK |
|--|---|-----------|---------------|
| GRID COMPONENTS | | | |
| KLTH3600S | Kwikloc Seismic Mitred Top Hat 3600 Main Tee | 3600 | |
| KLTH1200S | Kwikloc Seismic Mitred Top Hat 1200 Cross Tee | 1200 | |
| KLTH4050S | Kwikloc Seismic Mitred Top Hat 4050 Main Tee | 4050 | |
| KLTH1350S | Kwikloc Seismic Mitred Top Hat 1350 Cross Tee | 1350 | |
| KLTH4500S | Kwikloc Seismic Mitred Top Hat 4500 Main Tee | 4500 | |
| KLTH1500S | Kwikloc Seismic Mitred Top Hat 1500mm Cross Tee | 1500 | |
| Imperial / Anodised Top Hat Projects POA | | | |
| WALL ANGLE & BULKHEAD | | | |
| Refer to Kwikloc Seismic | | | |
| ACCESSORIES | | | |
| Refer to Kwikloc Seismic | | | |

Kwikloc C & T Splines

| PART NO. | DESCRIPTION | LENGTH MM | PIECES / PACK |
|------------------------|----------------------------|-----------|---------------|
| GRID COMPONENTS | | | |
| CS1200 | 1200 Back to Back C Spline | 1188 | 20 |
| CS1350 | 1350 Back to Back C Spline | 1338 | 20 |
| CS1500 | 1500 Back to Back C Spline | 1488 | 20 |
| IM1200 | 1200 Intermediate T Spline | 1188 | 20 |
| IM1350 | 1350 Intermediate T Spline | 1338 | 20 |
| IM1500 | 1500 Intermediate T Spline | 1488 | 20 |



Kwik Connect Steel Grid System

| PART NO. | DESCRIPTION | LENGTH MM | PIECES / PACK |
|----------------------------------|---|-----------|---------------|
| GRID COMPONENTS | | | |
| VT3600 | Kwik Connect Main Tee | 3600 | 20 |
| VT1200 | Kwik Connect 1200 Cross Tee | 1200 | 60 |
| VT600 | Kwik Connect 600 Cross Tee | 600 | 60 |
| WALL ANGLE & BULKHEAD | | | |
| VTML3600 | Kwik Connect Standard Wall Angle 3.6m | 3600 | 1.00 |
| ASTS3600 | Kwikloc Seismic Fixed Side Wall Angle 3600 | 3600 | 1.00 |
| ASLS3600 | Kwikloc Aluminium Seismic Fixed Shadowline Wall Angle | 3600 | 1.00 |
| KLBH4000 | Kwikloc Aluminium 4000 13mm Bulkhead Satin White | 4000 | 1.00 |
| ACCESSORIES | | | |
| A93S | Seismic Fixed Side Shadowline Bracket | | 100 |
| A93SL | Seismic Slotted Shadowline Bracket | | 100 |
| KLSEI175-VS | KwikConnect Seismic Spring Cup | | 100 |









Premium ceiling tiles

Plasterboard Tiles

Acoustic Tiles

Timber Ceiling Tiles

Plasterboard / Mineral Fibre Tiles




| PART NO. | DESCRIPTION | PIECES / PACK |
|---|--|---------------|
| PLASTERBOARD CEILING PANELS 1200 X 600 – 10MM | | |
| FROST | Studorm Frost Panel – Foilback 1200X600-10mm | 6 |


| PART NO. | DESCRIPTION | MODULE DIMENSIONS MM | PIECES / PK | M ² / PACK |
|---------------------------------|--|----------------------|-------------|-----------------------|
| MINERAL FIBRE TILES – NCS RANGE | | | | |
| NA1260S | NCS Apex Ceiling Tile Acoustic Fine Fissured SQ Edge 1200 x 600 x 16mm (8/Ctn) | 1200 x 600 x 16 | 8 | 5.76 |
| NP1260S | NCS Pinnacle Ceiling Tile Acoustic Fleece Faced SQ Edge 1200 x 600 x 19mm (6/Ctn) | 1200 x 600 x 19 | 6 | 4.32 |
| NPH1260S | NCS Pinnacle Health Ceiling Tile Acoustic Fleece Faced SQ Edge 1200 x 600 x 19mm (6/Ctn) | 1200 x 600 x 19 | 6 | 4.32 |

Mineral Fibre Tile - Rockfon Range (Aquatic)

| PART NO. | DESCRIPTION | PIECES/ PACK | M ² / PACK |
|-------------|---|--------------|-----------------------|
| RFONCLP1260 | Rockfon Clean Space Pure RH100 1200x600x20mm (12/ctn) | 12 | 8.64 |



Atom 2
Open Area: 6%



Linear Mix
Open Area: 12%

Kwiktile Acoustic Timber Ceiling Tiles

| PART NO. | DESCRIPTION | PIECES / PACK |
|--------------------------------|---|---------------|
| KWIKTILE TIMBER CEILING PANELS | | |
| KWIKTILE | Kwiktile 1200 x 600 x 12mm Timber Acoustic Ceiling Tile (6 per pack) Hickory or Caledonian Oak/Atom 2 or Linear Mix Pattern | 6 |



Hickory



Caledonian Oak

Due to currency fluctuations, it is advised to contact Studform prior to ordering mineral fibre tiles



Access panels

Fire Rated Access Panels

Access Panels



| PART NO. | LOCK TYPE | DIMENSIONS | | |
|--|-----------|--------------|--------------|--------------|
| HINGED ACCESS PANEL/FIRE RATED 2 HOURS | | | | |
| KSB2FR** (30 / 45 / 56) | Set Bead | 300 x 300 MM | 450 x 450 MM | 560 x 560 MM |
| KFL2FR** (30 / 45 / 56) | Flange | 300 x 300 MM | 450 x 450 MM | 560 x 560 MM |



Walls

A photograph of a modern office environment with glass-walled partitions, desks, and office chairs. The text 'Aluminium partition suite' is overlaid in a large, red-to-white gradient font.






Aluminium partition suite

Korporate Series

Perforated Head Track

Skirting and Accessories


Korporate Series Aluminium Partition Systems – 1000 Suite



| PART NO. | DESCRIPTION | LENGTH MM |
|---|--|-----------|
| KORPORATE SERIES 1000 SUITE – 64MM STUD SYSTEM | | |
| K1000NA | Main Frame | 5500 |
| K1001NA | Main / Door Frame | 5500 |
| K1002NA | Sill Transom | 5500 |
| K1003NA | Sill Bead | 5500 |
| K1004NA | Glazing Adaptor | 5500 |
| K1005NA | Ceiling Frame Adapter | 5500 |
| K1009NA | Plain / Door Frame | 5500 |
| K1010NA | Standard Ceiling Channel | 5500 |
| K1011NA | Shadowline Ceiling Channel | 5500 |
| DOOR STOPS / POCKET FILLERS – SUITS ALL KORPORATE SERIES SYSTEMS | | |
| K1012NA | Pocket Filler | 5500 |
| K1013NA | 35mm Door Stop | 5500 |
| K1014NA | 45mm Door Stop | 5500 |
| K1015NA | 40mm Door Stop | 5500 |
| K1016NA | 55mm Door Stop / 45mm Acoustic Door Stop | 5500 |
| K1017NA | 42mm Door Stop | 5500 |

NATURAL ANODISED


| PERFORATED SECTION – FOR FLUSH S/LINE FINISH | | |
|---|--------------------------------------|------|
| 1011F | 64mm Headtrack Perforated P50 Finish | 3600 |




Korporate Series Aluminium Partition Systems – 1000 Suite

| PART NO. | DESCRIPTION | LENGTH MM |
|---|--|-----------|
| KORPORATE SERIES 1000 SUITE – 64MM STUD SYSTEM | | |
| K1000PC | Main Frame | 5500 |
| K1001PC | Main / Door Frame | 5500 |
| K1002PC | Sill Transom | 5500 |
| K1003PC | Sill Bead | 5500 |
| K1004PC | Glazing Adaptor | 5500 |
| K1005PC | Ceiling Frame Adapter | 5500 |
| K1009PC | Plain / Door Frame | 5500 |
| K1010PC | Standard Ceiling Channel | 5500 |
| K1011PC | Shadowline Ceiling Channel | 5500 |
| DOOR STOPS / POCKET FILLERS – SUITS ALL KORPORATE SERIES SYSTEMS | | |
| K1012PC | Pocket Filler | 5500 |
| K1013PC | 35mm Door Stop | 5500 |
| K1014PC | 45mm Door Stop | 5500 |
| K1015PC | 40mm Door Stop | 5500 |
| K1016PC | 55mm Door Stop / 45mm Acoustic Door Stop | 5500 |
| K1017PC | 42mm Door Stop | 5500 |


POWDERCOATED




K1000




K1001




K1002/03



K1004




K1009




K1005


| COLOURS | | |
|---------------------|-------------------|-------------------|
| ALMOND IVORY | CLARET SATIN | PEARL WHITE |
| ANODIC BRONZE | COOL WHITE | POTTERY SATIN |
| APO GREY SATIN | DOESKIN SATIN | PRIMROSE |
| ARROWHEAD | FEDERATION RED | RIVERGUM |
| BERRY GREY | HAMERSLEY BROWN | ROSEBERRY GREY |
| BLACK GLOSS | SATIN | STONE BEIGE SATIN |
| BLACK MATT | HAWTHORN GREEN | SILVER GLO PEARL |
| BLACK ONYX PEARL | IVORY COAST | STROMBOLL |
| BLACK SATIN | MAGNOLIA | TRANSFORMER GREY |
| BRIGHT WHITE | NOTRE DAME | WHITE BIRCH |
| CHARCOAL | MOTHER OF PEARL | WHITE SATIN |
| CHARCOAL MATT PEARL | OLDE PEWTER SATIN | |
| | OYSTER GREY | |




K1011




K1010




K1013




K1012



K1016










K1015



K1014

Korporate Series Aluminium Partition Systems – 3000 Suite 7000 Suite













| PART NO. | DESCRIPTION | LENGTH MM |
|---|----------------------------|-----------|
| KORPORATE SERIES 3000 SUITE – 92MM STUD SYSTEM | | |
| K3001NA | Main / Door Frame | 5500 |
| K3002NA | Sill Transom | 5500 |
| K1003NA | Sill Bead | 5500 |
| K3004NA | Glazing Adaptor | 5500 |
| K3005NA | Ceiling Frame Adapter | 5500 |
| K3011NA | Shadowline Ceiling Channel | 5500 |
| KORPORATE SERIES 7000 SUITE – 76MM STUD SYSTEM | | |
| K7001NA | Main / Door Frame | 5500 |
| K7002NA | Sill Transom | 5500 |
| K1003NA | Sill Bead | 5500 |
| K7004NA | Glazing Adaptor | 5500 |
| K7005NA | Ceiling Frame Adapter | 5500 |
| K7011NA | Shadowline Ceiling Channel | 5500 |

NATURAL ANODISED

Korporate Series Aluminium Partition Systems – 3000 Suite 7000 Suite

| PART NO. | DESCRIPTION | LENGTH MM |
|---|----------------------------|-----------|
| KORPORATE SERIES 3000 SUITE – 92MM STUD SYSTEM | | |
| K3001PC | Main / Door Frame | 5500 |
| K3002PC | Sill Transom | 5500 |
| K1003PC | Sill Bead | 5500 |
| K3004PC | Glazing Adaptor | 5500 |
| K3005PC | Ceiling Frame Adapter | 5500 |
| K3011PC | Shadowline Ceiling Channel | 5500 |
| KORPORATE SERIES 7000 SUITE – 76MM STUD SYSTEM | | |
| K7001PC | Main / Door Frame | 5500 |
| K7002PC | Sill Transom | 5500 |
| K1003PC | Sill Bead | 5500 |
| K7004PC | Glazing Adaptor | 5500 |
| K7005PC | Ceiling Frame Adapter | 5500 |
| K7011PC | Shadowline Ceiling Channel | 5500 |

POWDERCOATED



| COLOURS | | |
|---------------------|-------------------|-------------------|
| ALMOND IVORY | CLARET SATIN | PEARL WHITE |
| ANODIC BRONZE | COOL WHITE | POTTERY SATIN |
| APO GREY SATIN | DOESKIN SATIN | PRIMROSE |
| ARROWHEAD | FEDERATION RED | RIVERGUM |
| BERRY GREY | HAMERSLEY BROWN | ROSEBERRY GREY |
| BLACK GLOSS | SATIN | STONE BEIGE SATIN |
| BLACK MATT | HAWTHORN GREEN | SILVER GLO PEARL |
| BLACK ONYX PEARL | IVORY COAST | STROMBOLL |
| BLACK SATIN | MAGNOLIA | TRANSFORMER GREY |
| BRIGHT WHITE | NOTRE DAME | WHITE BIRCH |
| CHARCOAL | MOTHER OF PEARL | WHITE SATIN |
| CHARCOAL MATT PEARL | OLDE PEWTER SATIN | |
| | OYSTER GREY | |

Aluminium Skirting & Accessories



| PART NO. | DESCRIPTION | LENGTH MM | |
|---------------------------|--|-----------|-----------------|
| ALUMINIUM SKIRTING | | | NAT ANOD |
| 1026NA | 100mm Adhesive Fix Skirting Natural Anodised | 3600 | |
| 1028NA | 150mm Adhesive Fix Skirting Natural Anodised | 3600 | |

| PART NO. | DESCRIPTION | LENGTH MM |
|---|--|-----------|
| KORPORATE SERIES PARTITION ACCESSORIES | | |
| ANBL10 | Anodising Block | 1/pk |
| 64WDJ | K400 Series Drilling Jig | 1/pk |
| 64DJ | K1000 Series Drilling Jig | 1/pk |
| 76DJ | K7000 Series Drilling Jig | 1/pk |
| 92DJ | K3000 Series Drilling Jig | 1/pk |
| OTHER ACCESSORIES | | |
| 1020B | Schlegel Wool Pile - Black | 100m |
| 1020G | Schlegel Wool Pile - Grey | 100m |
| 1021 | Semi - Acoustic Door Seal | 100m |
| 1024 | Glazing Support Block 10 x 12mm | 500/pk |
| CFP100 | 1M Self Adhesive Carpet Floor Protection Roll | 100M |
| CCS | Korporate Series Ceiling Channel Corner Stakes | |
| CSS | Korporate Series Ceiling Channel Straight Stakes | |
| MSS | Korporate Series Main Frame Straight Stakes | |
| MCS | Korporate Series Main Frame Corner Stakes | |



Drywall framing systems

Steel Studwork

Fire Rated Systems

Battens

Concealed Suspension

Drywall / Fire Rated Framing Systems – 0.50-0.55 BMT



64mm Track



64mm Stud



76mm Stud

| PART NO. | DESCRIPTION | LENGTH MM | PIECES / PACK |
|------------------------|-------------|-----------|---------------|
| WALL TRACK 0.55 | | | |
| 630T | 64mm Track | 3000 | 10 |
| 730T | 76mm Track | 3000 | 10 |
| 930T | 92mm Track | 3000 | 10 |
| WALL STUD 0.55 | | | |
| 627S | 64mm Stud | 2700 | 10 |
| 630S | 64mm Stud | 3000 | 10 |
| 636S | 64mm Stud | 3600 | 10 |
| 642S | 64mm Stud | 4200 | 10 |
| 727S | 76mm Stud | 2700 | 10 |
| 730S | 76mm Stud | 3000 | 10 |
| 736S | 76mm Stud | 3600 | 10 |
| 742S | 76mm Stud | 4200 | 10 |
| 748S | 76mm Stud | 4800 | 10 |
| 927S | 92mm Stud | 2700 | 10 |
| 930S | 92mm Stud | 3000 | 10 |
| 936S | 92mm Stud | 3600 | 10 |
| 942S | 92mm Stud | 4200 | 10 |
| 948S | 92mm Stud | 4800 | 10 |
| 960S | 92mm Stud | 6000 | 10 |

Drywall / Fire Rated Framing Systems – 0.75 BMT

| PART NO. | DESCRIPTION | LENGTH MM | PIECES / PACK |
|----------------------------------|-----------------------------|-----------|---------------|
| TOP AND BOTTOM TRACK 0.75 | | | |
| 630TH | 64mm Track | 3000 | 10 |
| 730TH | 76mm Track | 3000 | 10 |
| 930TH | 92mm Track | 3000 | 10 |
| 1530TH | 150mm Track | 3000 | 10 |
| DEFLECTION HEAD 0.75 | | | |
| 630DH | 64mm Deflection Head Track | 3000 | 10 |
| 730DH | 76mm Deflection Head Track | 3000 | 10 |
| 930DH | 92mm Deflection Head Track | 3000 | 10 |
| 1530DH | 150mm Deflection Head Track | 3000 | 10 |
| WALL STUD 0.75 | | | |
| 727SH | 76mm Stud | 2700 | 10 |
| 730SH | 76mm Stud | 3000 | 10 |
| 736SH | 76mm Stud | 3600 | 10 |
| 742SH | 76mm Stud | 4200 | 10 |
| 927SH | 92mm Stud | 2700 | 10 |
| 930SH | 92mm Stud | 3000 | 10 |
| 936SH | 92mm Stud | 3600 | 10 |
| 942SH | 92mm Stud | 4200 | 10 |
| 948SH | 92mm Stud | 4800 | 10 |
| 960SH | 92mm Stud | 6000 | 10 |
| 1560SH | 150mm Stud | 6000 | 10 |



Drywall / Fire Rated Framing Systems – 1.15 BMT




| PART NO. | DESCRIPTION | LENGTH MM | PIECES / PACK |
|---|-----------------------------|-----------|---------------|
| TOP AND BOTTOM TRACK 1.15 | | | |
| 730TEH | 76mm Track | 3000 | 10 |
| 930TEH | 92mm Track | 3000 | 10 |
| 1530TEH | 150mm Track | 3000 | 10 |
| DEFLECTION HEAD 1.15 | | | |
| 730DEH | 76mm Deflection Head Track | 3000 | 10 |
| 930DEH | 92mm Deflection Head Track | 3000 | 10 |
| 1530DEH | 150mm Deflection Head Track | 3000 | 10 |
| WALL STUD 1.15 | | | |
| 748SEH | 76mm Stud | 4800 | 10 |
| 760SEH | 76mm Stud | 6000 | 10 |
| 948SEH | 92mm Stud | 4800 | 10 |
| 960SEH | 92mm Stud | 6000 | 10 |
| 1548SEH | 150mm Stud | 4800 | 10 |
| 1560SEH | 150mm Stud | 6000 | 10 |
| 1572SEH | 150mm Stud | 7200 | 10 |
| *Lead time may be required on 1.15mm Stud and Track | | | |

| NOGGING TRACK 0.75 | | | |
|---------------------------|--|------|----|
| 645NH | 64mm Nogging Track - 450mm Centre | 3600 | 10 |
| 745NH | 76mm Nogging Track - 450mm Centre | 3600 | 10 |
| 945NH | 92mm Nogging Track - 450mm Centre | 3600 | 10 |
| 660NH | 64mm Nogging Track - 600mm Centre | 3600 | 10 |
| 760NH | 76mm Nogging Track - 600mm Centre | 3600 | 10 |
| 960NH | 92mm Nogging Track - 600mm Centre | 3600 | 10 |
| ANCILLARY PRODUCTS | | | |
| CS112 | Stud Crimper Malco USA | | ea |
| SPT-10 | Studform Trackloc Seismic Wall Brace | | ea |
| SPT-10R | Studform Trackloc Seismic Retro Wall Brace | | ea |

Concealed Suspension Systems

| PART NO. | DESCRIPTION | LENGTH MM | PIECES / PACK |
|--|-----------------------------------|-----------|---------------|
| CONCEALED SCREW UP CEILING SYSTEM | | | |
| M2736 | 25mm Top Cross Rail | 3600 | |
| M2748 | 25mm Top Cross Rail | 4800 | |
| M2936 | 28mm Furring Channel | 3600 | |
| M2948 | 28mm Furring Channel | 4800 | |
| M2960 | 28mm Furring Channel | 6000 | |
| M40 | 28mm Furring Channel Track | 3000 | |
| CLIPS AND JOINERS | | | |
| M39 | Locking Key | | |
| M54 | Adjustable Suspension Rod Joiner | | |
| M60 | Combination TCR Clip & Rod Joiner | | |
| M38 | F/C Joinder | | |
| SR5.0 | 5.0mm Galv Suspension Rod | 3600 | |
| VF1 | Purlin Clip – Steel | | |
| VF2 | Purlin Clip – Timber | | |
| 2D15 | F/C Beta Fix Clip | | |
| 2D15L | F/C Beta Fix Clip – Long | | |





Plasterboard & accessories

Plasterboard

Compounds

Insulation

Metal Angles

Plasterboard, Cement Sheet Products

| PART NO. | DESCRIPTION | WIDTH | LENGTH AVAILABLE MM | | | | | | | |
|--|-----------------------------------|-------|---------------------|------|------|------|------|------|------|------|
| | | | 2400 | 2700 | 3000 | 3600 | 4200 | 4800 | 5400 | 6000 |
| PLASTERBOARD, CEMENT SHEET PRODUCTS | | | | | | | | | | |
| RE10 | 10mm Plasterboard | 1200 | ● | ● | ● | ● | ● | ● | ● | ● |
| RE10 | 10mm Plasterboard | 1350 | ● | | ● | ● | ● | ● | | ● |
| WR10 | 10mm Water Resistant Plasterboard | 1200 | ● | ● | ● | ● | ● | ● | | |
| WR10 | 10mm Water Resistant Plasterboard | 1350 | ● | | ● | ● | ● | ● | | |
| CB10 | 10mm Ceiling Board | 1200 | ● | ● | ● | ● | ● | ● | | ● |
| CB10 | 10mm Ceiling Board | 1350 | ● | | ● | ● | ● | ● | | ● |
| RE13 | 13mm Plasterboard | 1200 | ● | ● | ● | ● | ● | ● | ● | ● |
| RE13 | 13mm Plasterboard | 1350 | | | ● | ● | ● | ● | | |
| WR13 | 13mm Water Resistant Plasterboard | 1200 | ● | ● | ● | ● | ● | | | |
| SC13 | 13mm Soundcheck Plasterboard | 1200 | | | ● | ● | | | | |
| IC13 | 13mm Impact Check Plasterboard | 1200 | | | ● | ● | | ● | | |
| FR13 | 13mm Fire Rated Plasterboard | 1200 | ● | ● | ● | ● | | | | |
| FR16 | 16mm Fire Rated Plasterboard | 1200 | ● | ● | ● | ● | | | | |
| SW25 | 25mm Shaft Wall | 600 | | | ● | ● | | | | |



KF25



UB20

| PART NO. | DESCRIPTION | SIZE |
|--|---|---------|
| COMPOUNDS & ADHESIVES | | |
| MB20 | Basecoat Longset 90 | 20 kg |
| CC20 | Cornice Adhesive 60 | 20 kg |
| KF25 | Masterline Topcoat Bucket | 23.4 kg |
| SA5.2 | 5.2kg Stud Adhesive | 5.2 kg |
| TAPES, ABRASIVES & SEALANTS | | |
| PT75 | Paper Tape Perforated | 75 m |
| ET90 | Easy Tape | 90 m |
| 5P12L10 | Sandpaper Sheets Large 120g PLASTERX Pk of 10 | PACK |
| 6SA500 | Spray Adhesive | 500 mL |
| SP180 | Super Pads 180 Grit | 225mL |


Insulation

| PART NO. | DESCRIPTION | TH. MM | | | APPROX. M2 / PACK NETT | BATTS PACK / PRICE |
|---------------------------------|--------------------------|--------|-----|--------|------------------------|--------------------|
| ACOUSTIC POLYESTER ROLLS | | | | | | |
| AS613 | AUS3 Acoustic Insulation | 65 | 610 | 16.5 m | 2x 10.06/roll | |
| AS614 | AUS4 Acoustic Insulation | 65 | 610 | 16.5 m | 2x 10.06/roll | |
| AS615 | AUS5 Acoustic Insulation | 65 | 610 | 16.5 m | 2x 10.06/roll | |

Other products available on request.

Metal Plasterboard Accessories

| PART NO. | DESCRIPTION | LENGTH MM |
|-------------------------|------------------------------------|-----------|
| EXTERNAL CORNERS | | |
| CEX9024 | 90° Plaster Ex Angle | 2400 |
| CEX9027 | 90° Plaster Ex Angle | 2700 |
| CEX9030 | 90° Plaster Ex Angle | 3000 |
| CEX135 | 135° Plaster Ex Angle | 3000 |
| INTERNAL CORNERS | | |
| BA90 | 90° Backing Angle | 2400 |
| CIN90 | 90° Plaster Internal Angle | 3000 |
| CIN135 | 135° Plaster Internal Angle | 3000 |
| STOPPING ANGLES | | |
| LSA6 | 6mm Stopping Angle | 3000 |
| LSA10 | 10mm Stopping Angle | 3000 |
| LSA13 | 13mm Stopping Angle | 3000 |
| LSA16 | 16mm Stopping Angle | 3000 |
| SL6 | 6mm S/Line Stopping Angle | 3000 |
| SL10 | 10mm S/Line Stopping Angle | 3000 |
| CASING BEAD | | |
| MCB6 | 6mm Casing Beads | 3000 |
| MCB10 | 10mm Casing Beads | 3000 |
| MCB13 | 13mm Casing Beads | 3000 |
| MCB16 | 16mm Casing Beads | 3000 |
| SCB10 | 10mm S/Line Casing Beads | 3000 |
| SCB13 | 13mm S/Line Casing Beads | 3000 |
| ARCHBEAD | | |
| AB180 | Archbead | 3000 |
| EXPANSION JOINTS | | |
| EXJ10 | Expansion Joint | 3000 |
| PVC TRIMS | | |
| TB3010 | PVC Tear Away Bead 10mm | 3000 |
| TB3010SL | PVC Shadowline Tear Away Bead 10mm | 3000 |





Doors



Premium residential doors

Veneer Doors

Square Groove Doors

Capitale Range

| 37MM INTERNAL MDF, SOLID CORE | | | |
|-------------------------------|--------------------|-----|-----------|
| HEIGHT (MM) | CUSTOM WIDTHS (MM) | | |
| 2100 | 620 - 910 | 920 | 930 -1200 |
| 2400 | 620 - 910 | 920 | 930 -1200 |
| 2700 | 620 - 910 | 920 | 930 -1200 |
| 37MM INTERNAL MDF, FOAM CORE | | | |
| 2100 | 620 - 910 | 920 | 930 -1200 |
| 2400 | 620 - 910 | 920 | 930 -1200 |
| 2700 | 620 - 910 | 920 | 930 -1200 |

| ALTERATIONS |
|---------------------------------------|
| Balmoral Design |
| Steel inserts for cavity slider doors |
| Vision Panel Cutout, unglazed |
| Bottom Door seal provision |
| Air relief grille cut out |





Adele



Michel



Celine

Royale Range

| 37MM INTERNAL PRIMED MDF, SOLID CORE | | | |
|--------------------------------------|--------------------|-----|-----------|
| HEIGHT (MM) | CUSTOM WIDTHS (MM) | | |
| 2100 | 620 - 910 | 920 | 930 -1200 |
| 2400 | 620 - 910 | 920 | 930 -1200 |
| 2700 | 620 - 910 | 920 | 930 -1200 |
| 37MM INTERNAL PRIMED MDF, FOAM CORE | | | |
| 2100 | 620 - 910 | 920 | 930 -1200 |
| 2400 | 620 - 910 | 920 | 930 -1200 |
| 2700 | 620 - 910 | 920 | 930 -1200 |

| ALTERATIONS |
|---------------------------------------|
| Balmoral Design |
| Steel inserts for cavity slider doors |
| Vision Panel Cutout, unglazed |
| Bottom Door seal provision |
| Air relief grille cut out |

Flush Panel Doors - Wide Rail



Redicote Door
Wide Rail to full
perimeter
(shown dotted)

| PART NO. | THICKNESS | SIZE MM |
|---|-----------|------------|
| HONEYCOMB CORE WIDE RAIL TOP & BOTTOM REDICOTE DOOR | | |
| HC352172-WR | 35 | 2040 X 720 |
| HC352182-WR | 35 | 2040 X 820 |
| HC352192-WR | 35 | 2040 X 920 |
| HC352472-WR | 35 | 2340 X 720 |
| HC352482-WR | 35 | 2340 X 820 |
| HC352492-WR | 35 | 2040 X 920 |

Note: Above doors unavailable for specific sizing or numbering.
Size shown only.
Standard alterations unavailable on this product.

Veneer Entry Doors

| VENEER ENTRY DOORS | | | | |
|--|--------|------------|----------|--------------|
| Spotted Gum, Tas Oak, Blackwood, American White Oak, Blackbutt | | | | |
| SOLID CORE DOOR - 44mm with Matching 12mm Hardwood Edge Strips | | | | |
| CODE | HEIGHT | WIDTH (MM) | | CODE |
| SC44TVEX219 | 2100 | 620-920 | 920-1200 | SC44TVEX2112 |
| SC44TVEX249 | 2400 | 620-920 | 920-1200 | SC44TVEX2412 |
| SC44TVEX279 | 2700 | 620-920 | 920-1200 | SC44TVEX2712 |

| V-GROOVE DOORS | | | | |
|--|--------|------------|----------|-----------------|
| SOLID CORE DOOR - 44mm with Matching 12mm Hardwood Edge Strips | | | | |
| CODE | HEIGHT | WIDTH (MM) | | CODE |
| SC44TVEX219-VG | 2100 | 620-920 | 920-1200 | SC44TVEX2112-VG |
| SC44TVEX249-VG | 2400 | 620-920 | 920-1200 | SC44TVEX2412-VG |
| SC44TVEX279-VG | 2700 | 620-920 | 920-1200 | SC44TVEX2712-VG |



American White Oak



Spotted Gum



Blackwood



V-Groove Option

| ALTERATIONS |
|-------------------------------|
| Vision Panel Cutout, unglazed |
| Bottom Door seal provision |



Commercial doors

Flush Panel Doors

Fire Doors

Metal Clad Doors

X-ray Doors

Flush Panel
Doors -
Standard
Commercial
40mm

| SOLID CORE, 40MM FLUSH PANEL MDF | | | | |
|----------------------------------|-------------|------------|------------|------------|
| CODE | HEIGHT (MM) | WIDTH (MM) | | CODE |
| SC40219P | 2100 | 620 - 910 | 920 - 1200 | SC4021120P |
| SC40249P | 2400 | 620 - 910 | 920 - 1200 | SC4024120P |
| SC40279P | 2700 | 620 - 910 | 920 - 1200 | SC4027120P |

| FOAM CORE, 40MM FLUSH PANEL MDF | | | | |
|---------------------------------|-------------|------------|------------|------------|
| CODE | HEIGHT (MM) | WIDTH (MM) | | CODE |
| FF40219P | 2100 | 620 - 910 | 920 - 1200 | FF4021120P |
| FF40249P | 2400 | 620 - 910 | 920 - 1200 | FF4024120P |
| FF40279P | 2700 | 620 - 910 | 920 - 1200 | FF4027120P |

| SOLID CORE, 40MM FLUSH PANEL MDF, 12 MM EDGE STRIPS | | | | |
|---|-------------|------------|------------|-------------|
| CODE | HEIGHT (MM) | WIDTH (MM) | | CODE |
| SC40219PES | 2100 | 620 - 910 | 920 - 1200 | SC402112PES |
| SC40219PES | 2400 | 620 - 910 | 920 - 1200 | SC402412PES |
| SC40279PES | 2700 | 620 - 910 | 920 - 1200 | SC402712PES |

| FOAM CORE, 40MM FLUSH PANEL MDF, 12 MM EDGE STRIPS | | | | |
|--|-------------|------------|------------|-------------|
| CODE | HEIGHT (MM) | WIDTH (MM) | | CODE |
| FF40219PES | 2100 | 620 - 910 | 920 - 1200 | FF402112PES |
| FF40249PES | 2400 | 620 - 910 | 920 - 1200 | FF402412PES |
| FF40279PES | 2700 | 620 - 910 | 920 - 1200 | FF402712PES |

For all aluminium doors, and frames enquire directly with Studform estimating.

| FLUSH PANEL DOORS - EXTERIOR MATERIAL ALTERATIONS |
|---|
| Extra - Duracoat / External Ply |
| Extra - Marine Ply |

| ALTERATIONS |
|---------------------------------------|
| Steel inserts for cavity slider doors |
| Vision Panel Cutout, unglazed |
| Bottom Door seal provision |
| Air relief grille cut out |
| Sliding Door Groove |
| Double Door Rebate |

Flush Panel
Doors -
Standard
Commercial
42mm

| SOLID CORE, 42MM FLUSH PANEL MDF | | | | |
|----------------------------------|-------------|------------|------------|-----------|
| CODE | HEIGHT (MM) | WIDTH (MM) | | CODE |
| SC42219P | 2100 | 620 - 910 | 920 - 1200 | SC422112P |
| SC42249P | 2400 | 620 - 910 | 920 - 1200 | SC422412P |
| SC42279P | 2700 | 620 - 910 | 920 - 1200 | SC422712P |

| FOAM CORE, 42MM FLUSH PANEL MDF | | | | |
|---------------------------------|-------------|------------|------------|-----------|
| CODE | HEIGHT (MM) | WIDTH (MM) | | CODE |
| FF42219P | 2100 | 620 - 910 | 920 - 1200 | FF422112P |
| FF42249P | 2400 | 620 - 910 | 920 - 1200 | FF422412P |
| FF42279P | 2700 | 620 - 910 | 920 - 1200 | FF422712P |

| SOLID CORE, 42MM FLUSH PANEL MDF, 12 MM EDGE STRIPS | | | | |
|---|-------------|------------|------------|-------------|
| CODE | HEIGHT (MM) | WIDTH (MM) | | CODE |
| SC42219PES | 2100 | 620 - 910 | 920 - 1200 | SC422112PES |
| SC42249PES | 2400 | 620 - 910 | 920 - 1200 | SC422412PES |
| SC42279PES | 2700 | 620 - 910 | 920 - 1200 | SC422712PES |

| FOAM CORE, 42MM FLUSH PANEL MDF, 12 MM EDGE STRIPS | | | | |
|--|-------------|------------|------------|-------------|
| CODE | HEIGHT (MM) | WIDTH (MM) | | CODE |
| FF42219PES | 2100 | 620 - 910 | 920 - 1200 | FF422112PES |
| FF42249PES | 2400 | 620 - 910 | 920 - 1200 | FF422412PES |
| FF42279PES | 2700 | 620 - 910 | 920 - 1200 | FF422712PES |

For all aluminium doors, and frames enquire directly with Studform estimating.

| FLUSH PANEL DOORS - EXTERIOR MATERIAL ALTERATIONS |
|---|
| Extra - Duracoat / External Ply |
| Extra - Marine Ply |

| ALTERATIONS |
|---------------------------------------|
| Steel inserts for cavity slider doors |
| Vision Panel Cutout, unglazed |
| Bottom Door seal provision |
| Air relief grille cut out |
| Sliding Door Groove |
| Double Door Rebate |

Flush Panel
Doors -
Standard
Commercial
45mm

| SOLID CORE, 45MM FLUSH PANEL MDF | | | | |
|----------------------------------|-------------|------------|------------|-----------|
| CODE | HEIGHT (MM) | WIDTH (MM) | | CODE |
| SC45219P | 2100 | 620 - 910 | 920 - 1200 | SC452112P |
| SC45249P | 2400 | 620 - 910 | 920 - 1200 | SC452412P |
| SC45279P | 2700 | 620 - 910 | 920 - 1200 | SC452712P |

| FOAM CORE, 45MM FLUSH PANEL MDF | | | | |
|---------------------------------|-------------|------------|------------|-----------|
| CODE | HEIGHT (MM) | WIDTH (MM) | | CODE |
| FF45219P | 2100 | 620 - 910 | 920 - 1200 | FF452112P |
| FF45249P | 2400 | 620 - 910 | 920 - 1200 | FF452412P |
| FF45279P | 2700 | 620 - 910 | 920 - 1200 | FF452712P |

| SOLID CORE, 45MM FLUSH PANEL MDF, 12 MM EDGE STRIPS | | | | |
|---|-------------|------------|------------|-------------|
| CODE | HEIGHT (MM) | WIDTH (MM) | | CODE |
| SC45219PES | 2100 | 620 - 910 | 920 - 1200 | SC452112PES |
| SC45249PES | 2400 | 620 - 910 | 920 - 1200 | SC452412PES |
| SC45279PES | 2700 | 620 - 910 | 920 - 1200 | SC452712PES |

| FOAM CORE, 45MM FLUSH PANEL MDF, 12 MM EDGE STRIPS | | | | |
|--|-------------|------------|------------|-------------|
| CODE | HEIGHT (MM) | WIDTH (MM) | | CODE |
| FF45219PES | 2100 | 620 - 910 | 920 - 1200 | FF452112PES |
| FF45249PES | 2400 | 620 - 910 | 920 - 1200 | FF452412PES |
| FF45279PES | 2700 | 620 - 910 | 920 - 1200 | FF452712PES |

For all aluminium doors, and frames enquire directly with Studform estimating.

| FLUSH PANEL DOORS - EXTERIOR MATERIAL ALTERATIONS |
|---|
| Extra - Duracoat / External Ply |
| Extra - Marine Ply |

| ALTERATIONS |
|---------------------------------------|
| Steel inserts for cavity slider doors |
| Vision Panel Cutout, unglazed |
| Bottom Door seal provision |
| Air relief grille cut out |
| Sliding Door Groove |
| Double Door Rebate |

Fire Door Sets

Manufactured to: AS1530.4. 2015 Standard

Fire Doors

| Code | HEIGHT (MM) | WIDTH (MM) | PERFORMANCE | | Code |
|--------------|-------------|------------|-------------|-------------|--------------|
| FD472492120P | 2400H | 400-920 | 60min 37mm | 120min 47mm | FD472492120P |
| FD472412120P | 2400H | 920-1200 | 60min 37mm | 120min 47mm | FD472412120P |

For 180 min / 3 hr Fire Doors... POA

Fire Door Frames (including Back Filling)

| Code | HEIGHT (MM) | WIDTH (MM) | PERFORMANCE | | Code |
|------------|-------------|------------|-------------|-------------|------------|
| SDF21BF42P | 2100H | 400-1200 | 60min 37mm | 120min 47mm | SDF21BF51P |
| SDF24BF42P | 2400H | 400-1200 | 60min 37mm | 120min 47mm | SDF24BF51P |
| DDF24BF42P | 2400H | 1200-1800 | 60min 37mm | 120min 47mm | DDF24BF51P |

For 180 min / 3 hr Fire Doors Frames... POA

| ALTERATIONS |
|-------------------------|
| Fire Rated Vision Panel |
| Bottom Seal Provision |
| Fire Bolts |

Metal Clad Doors

| | | GALV | Colourbond |
|------------|----------|-------------------------|------------|
| 2100H/2400 | 400-920 | Cap & Face 0.55mm Sheet | Cap & Face |
| 2400H | 920-1200 | Cap & Face 0.55mm Sheet | Cap & Face |

(Alteration) Consealed Edging available.

Metal Door Frames

| | | | Code | | Code |
|-------|-----------|------------------------|--------|------------------------|---------|
| 2100H | 400-1200 | 4 Hinge/150 Backthroat | SDF21P | 4 Hinge/200 Backthroat | SDF21LP |
| 2400H | 400-1200 | 4 Hinge/150 Backthroat | SDF24P | 4 Hinge/200 Backthroat | SDF24LP |
| 2400H | 1200-1800 | 4 Hinge/150 Backthroat | DDF24P | 4 Hinge/200 Backthroat | DDF24LP |

All metal frames supplied with back straps, brick ties or plaster board brackets for fixing, alterations available.

X Ray Room Doors

| X-RAY ROOM DOORS | | | | | |
|---|----------|------|-------------|------|-------------|
| SOLID CORE DOOR - 44mm 12mm Edge Strips | | | | | |
| Height up to | Width | 10kg | CODE | 15kg | CODE |
| 2400 | 620-920 | 10kg | LD1041249P | 15kg | LD1541249P |
| 2400 | 920-1200 | 10kg | LD10412412P | 15kg | LD15412412P |

| ALTERATIONS |
|---------------------------------|
| VP (X-Ray Glass fitted) 200x200 |
| VP (X-Ray Glass fitted) 200x600 |

X Ray Door Frames

| | | | Code | | Code |
|-------|-----------|------|------------|------|------------|
| 2100H | 400-1200 | 10kg | SDF21LL44P | 15kg | SDF21LL45P |
| 2400H | 400-1200 | 10kg | SDF24LL44P | 15kg | SDF24LL45P |
| 2400H | 1200-1800 | 10kg | DDF24LL44P | 15kg | DDF24LL45P |



High Performance Acoustic Doors

Acoulite Doors

RW Acoustic Doors

Flush Panel Doors – Acoulite

| ACOULITE - 43MM RW 34 ACOUSTIC DOOR | | | |
|-------------------------------------|-------------|------------|-----------|
| CODE | HEIGHT (MM) | WIDTH (MM) | CODE |
| AC43219P | 2100 | 920 - 1200 | AC432112P |
| AC43249P | 2400 | 920 - 1200 | AC432412P |
| AC43279P | 2700 | 920 - 1200 | AC432712P |

RW Acoustic Door Sets

| RW 38 ACOUSTIC DOOR SET WITH SEALS (POA) | | |
|--|--------------|---|
| CODE | SIZE | DESCRIPTION |
| RW38AC2492 | 44X2400X920 | Rw38 Acoustic Door With Back Filled Frame And Seals |
| RW38AC2412 | 44X2400X1200 | |

| RW 40 ACOUSTIC DOOR SET WITH SEALS (POA) | | |
|--|--------------|---|
| CODE | SIZE | DESCRIPTION |
| RW40AC2492 | 44X2400X920 | Rw40 Acoustic Door With Back Filled Frame And Seals |
| RW40AC2412 | 44X2400X1200 | |

| RW 41 ACOUSTIC DOOR SET WITH ALUMINIUM FRAME AND SEALS (POA) | | |
|--|--------------|---|
| CODE | SIZE | DESCRIPTION |
| RW41KAC2492 | 45X2400X920 | Rw41 Acoustic Door With Back Filled Alu Frame And Seals |
| RW41KAC2412 | 45X2400X1200 | |

| RW 43 ACOUSTIC DOOR SET WITH SEALS (POA) | | |
|--|--------------|---|
| CODE | SIZE | DESCRIPTION |
| RW43AC2412 | 49X2400X920 | Rw43 Acoustic Door With Back Filled Frame And Seals |
| RW43AC2492 | 49X2400X1200 | |

| RW 48 ACOUSTIC DOOR SET WITH SEALS (POA) | | |
|--|--------------|---|
| CODE | SIZE | DESCRIPTION |
| RW48AC2492 | 61X2400X920 | Rw48 Acoustic Door With Back Filled Frame And Seals |
| RW48AC2412 | 61X2400X1200 | |

| RW 51 ACOUSTIC DOOR SET WITH SEALS (POA) | | |
|--|--------------|---|
| CODE | SIZE | DESCRIPTION |
| RW51AC2492 | 73X2400X920 | Rw51 Acoustic Door With Back Filled Frame And Seals |
| RW51AC2412 | 73X2400X1200 | |

Previous Projects



New Royal Adelaide Hospital

Being the largest public hospital in South Australia, the engineers at NRAH wanted an easy to install ceiling system that would meet stringent seismic and health requirements. The Kwikloc Seismic ceiling grid provided the ultimate solution as the seismic movements held the highest benchmark and the grid met hygiene expectations due to the flat-even plane for perfect grid nesting.



888 Collins Street

A high-end hotel in Melbourne's city centre went above and beyond with design of their aquatic area. The Kwikloc Bespoke Black ceiling grid combined with black ceiling tiles raised the bar of indoor swimming pools, to a whole new level.



Tower 8 Office Building

With this building being a showpiece in a series of master planned developments, architects and builders were taking no shortcuts on quality and premium finishes. With a combination of Korporate partitions and Acoulite Doors, this office turned into an artpiece.